

QL
671
•A957
SLRA

AVICULTURAL MAGAZINE



SPECIES INDEX
Part 2

VOLUME 120
No. 3
2014

THE AVICULTURAL SOCIETY

The Avicultural Society was founded in 1894 for the study of British and foreign birds in the wild and in captivity. The Society is international in character, having members throughout the world.

Membership subscription rates per annum for 2014: British Isles £21.00: Overseas £24.00 (plus £6.00 for airmail). (UK funds please). Full-time students £12.00, Overseas £15.00 (please state course attended). The subscription is due on **1st January of each year** and those joining the Society later in the year will receive back numbers of the current volume of the AVICULTURAL MAGAZINE.

Kate Atwell, Treasurer, The Avicultural Society, 11 The Briars, Backwell, North Somerset, BS48 3LE, England.

Subscriptions can be made by Paypal at www.avisoc.co.uk, by cheque, or directly to The Avicultural Society Account, Barclays Bank, Southminster Branch. Please quote Account No. 13296954, Sort Code 20 54 30, and ensure you send your name as the account reference, or else we cannot match payments. In case of difficulty please contact the Treasurer at the address above, or email kateatwell@googlemail.com.

Website: <http://www.avisoc.co.uk>

The AVICULTURAL MAGAZINE welcomes articles and news items from both members and non-members (no payment is made). These can be about any aspect of aviculture, conservation or natural history concerning non-domesticated bird species that is likely to be of interest to aviculturists. Articles submitted for publication should preferably not have been published elsewhere, and should ideally be written in English, though translation is possible. Scientific as well as vernacular bird names should be given, and references cited in the text should be listed at the end of the article. Material can be sent as an email attachment to editor@avisoc.co.uk and can be accepted in most common file formats. Files on disk and typed or handwritten manuscripts are also accepted. Line drawings, black and white or colour photographs can be used to illustrate articles and should be clearly captioned. Tables and graphs submitted will be used whenever possible. Graphs should ideally be accompanied by the relevant source data.

ADDRESS OF THE EDITOR:

Martin Greene, The Avicultural Magazine, Vale Cottage, Hemington, Radstock, Somerset, BA3 5XU England. Email editor@avisoc.co.uk.

COVER PHOTO: Burrowing Owl *Athene cunicularia* by Gregory Guida.

AVICULTURAL MAGAZINE

THE JOURNAL OF THE AVICULTURAL SOCIETY

Vol. 120 - No. 3 Part 2 All rights reserved ISSN 0005 2256

2014

The Avicultural Society

FOR THE STUDY OF BRITISH AND FOREIGN BIRDS
IN THE WILD AND CAPTIVITY

OFFICERS AND COUNCIL

As from October 2014

President
C.J.S. Marler

Vice Presidents

F. Barnicoat (South Africa)	R.L. Restall (Venezuela)
S. Bruslund (Spain)	J. Trollope (UK)
M. Curzon MBE (UK)	Dr. R. Wilkinson (UK)
Dr. H. Quinque (France)	

Editor
M.C. Greene

Secretary - Treasurer
Ms. K. Atwell

Members of the Council

A. Brooker	G. Masson
P. Convy	S. Matthews
D. Cullen	R. Piper
Mrs. L. Gardner	P.G. Schofield
R.B. Girling	M. Sproule
C. Kent	J.G. Thurlow

Chairman N.R. Hewston

HUMMINGBIRDS *Trochilidae*

A hummingbird outing 1933 232. An amateur's experiences in importing 1934 122 (Reprinted 1998 65). Arrival in Paris 1915 392. Arrival of hummingbirds 1933 172b/w, 176. At Berlin Zoo 1936 48b/w. At London Zoo 1907 244b/w; 1928 92. Better way to feed 1952 143. Brazilian 1951 234. Canadian hummingbirds 1939 53. Capture and maintenance for experimental purposes 1962 59b/w. Details on keeping in Copenhagen 1948 69b/w. Diets 1931 203,351; 1950 335; 1952 78. Early importations 1968 126. Experiences during fifteen years of feeding 1953 1b/w. Experiments in feeding 1915 328,381. Facts and fables 1933 209. Feeding 1951 73; 1968 55. First importations 1945 144. Historical captive notes 1906 154,243,271. How I obtained my hummingbirds 1915 105b/w, 151b/w. Hummingbird Hawk Moth 1982 172. Hummingbirds 1926 25*; 1933 431*; 1934 149*; 1957 84. Importations by Delacour 1922 107. Importations by Webb 1927 272. In captivity 1907 285b/w; 1913 66; 1916 68. In South America 1915 264. In their native haunts 1916 86. In Trinidad 1906 311. Longevity Records 1931 323; 1940 270; 1943 6. Methods used when capturing insects 1979 26. More about 1922 121. More notes on 1916 157. My hummingbirds (Ezra) 1915 286. New breeding centre at Walsrode 2012 89. Notes on some 1960 58. Nutrition of nectar-feeding birds 1968 36. Observations on Martinique hummingbirds 1976 98. On hand-rearing 1972 202b/w. One arrived at London Zoo 1906 109; 1914 201. Photographer meets hummingbird 1935 325b/w. Powers of resuscitation 1914 339. Recent Breeding Records 1977 130. Recent importations 1991 91. Resting on one foot 1972 220b/w. Scratching and preening postures 1973 200. Stretching attitudes 1971 231. Their care and management 1982 213. Torpidity 1933 231. Trade and protection 1988 108. Transportation 1954 36.

Long-tailed Hermit *Phaethornis superciliosus*

Observations on a female 1976 32-39b/w (Laid). B/w 1973 202.

Reddish Hermit *Phaethornis ruber*

Notes 1971 160-163b/w.

Grey-breasted Sabrewing *Campylopterus largipennis*

Imported 1931 203.

Swallow-tailed Hummingbird *Eupetomena macroura*

Hardiness 1935 139. Laid 1936 363. *1933 431.

White-necked Jacobin *Florisuga mellivora*

Dimorphism in female 1978 147-149b/w. *1926 25.

Colibri

1982 26-33b/w.

HYBRIDS: Brown Violetear *Colibri delphinae* x Green Violetear 1973 129. Brown Violetear x Sparkling Violetear 1977 130b/w. Sparkling Violetear x Green Violetear 1979 71b/w; 1980 117.

Green Violetear *Colibri thalassinus*

Bred 1978 235.

Sparkling Violetear *Colibri coruscans*

Bred 1975 233; 1993 49. Breeding 1967 109-115. Breeding results 1992 138.

Correspondence on diet 1967 104-105,137-138; 1968 36,74-75. Near miss 1966 160-167. Notes 1930 10-12.

Jamaican Mango *Anthracothorax mango*

Wild 1936 99-100.

Purple-throated Carib *Eulampis jugularis*

Longevity, over eight years in captivity 1943 6. Note 1915 106b/w. Observations 1976 196-201b/w. Wild 1930 118-119; 1976 99-100.

Green-throated Carib *Eulampis holosericeus*

Wild 1930 119-120; 1976 99.

Ruby-topaz Hummingbird *Chrysolampis mosquitus*

Notes 1977 53-56b/w. *1926 25; *1933 43; *1934 149.

Antillean Crested Hummingbird *Orthorhyncus cristatus*

Wild 1930 117-118; 1976 98-99; *1926 25 (*Bellona exilis*).

COQUETTES

Unspecified species bred in Brazil 1957 20.

Frilled Coquette *Lophornis magnificus*

Notes 1972 77-79*. B/w 1953 1.

Popelairia

Distribution and description 1980 91.

Wire-crested Thorntail *Discosura popelairii*

1980 91-92b/w.

Racket-tailed Coquette *Discosura longicaudus*

Long-lived 1940 270. B/w 1936 48.

Red-billed Streamertail *Trochilus polytmus*

Bred 1994 183. Breeding 1959 103-106. Hatched 1958 121. Notes on nesting 1960 62-66. Wild 1936 98-99.

Blue-tailed Emerald *Chlorostilbon mellisugus*

Display 1980 147-150b/w.

Chiribiquete Emerald *Chlorostilbon olivaresi*

Discovered 1996 93.

Glittering-bellied Emerald *Chlorostilbon lucidus*

*1934 149 (Pucheran's Emerald *C. l. pucherani*).

Cuban Emerald *Chlorostilbon ricordii*

1915 105*. Longevity 1931 292.

Blue-headed Hummingbird *Cyanophaea bicolor*

Wild 1930 120.

Fork-tailed Woodnymph *Thalurania furcata*

1922 107-108, 120-121. Bred 1997 94. Imported 1931 203. *1923 (Frontispiece); *1926 25.

Violet-bellied Hummingbird *Juliamyia julie*

Bred 1997 94.

White-chinned Sapphire *Hylocharis cyanus*

B/w 1953 1. *1934 149.

Golden-tailed Sapphire *Chrysuronia oenone*

Pre-mating behaviour 1972 175-176b/w.

Buffy Hummingbird *Leucippus fallax*

Observations 1982 81-83.

Amazilia Hummingbird *Amazilia amazilia*

Bred 1997 94. Breeding 1986 177-180b/w (*A. a. amazilia*); 2000 157-164* (*A. a. leucophaea*). Breeding at Weltvogelpark, Walsrode 2013 65-74*.

Andean Emerald *Amazilia franciae*

Pre-mating behaviour 1972 173-175b/w.

Glittering-throated Emerald *Amazilia fimbriata*

Imported 1931 203.

Sapphire-spangled Emerald *Amazilia lactea*

B/w 1936 48.

Speckled Hummingbird *Adelomyia melanogenys*

Nest-building 1982 153-156b/w. Nesting 1982 151-152.

Ecuadorian Piedtail *Phlogophilus hemileucurus*

1975 93-95b/w.

CORONET HUMMINGBIRDS

1972 137b/w.

Chestnut-breasted Coronet *Boissonneaua matthewsii*

1972 137-140b/w,220.

Velvet-purple Coronet *Boissonneaua jardini*

1972 137-140b/w.

Sword-billed Hummingbird *Ensifera ensifera*

1950 207b/w.

Juan Fernandez Firecrown *Sephanoides fernandensis*

Gravely endangered 1997 46.

Tourmaline Sunangel *Heliangelus exortis*

Notes 1973 79-83b/w,118.

PUFFLEGS

Notes 1974 213.

Glowing Puffleg *Eriocnemis vestita*

Notes 1974 213-214.

Coppery-bellied Puffleg *Eriocnemis cupreiventris*

Notes 1974 214-215.

Sapphire-vented Puffleg *Eriocnemis luciani*

Notes 1974 215-216b/w.

Booted Racket-tail *Ocreatus underwoodii*

Notes on display 1975 156-159b/w (Hatched in Germany).

THORNBILL HUMMINGBIRDS

1978 17b/w,103b/w.

Purple-backed Thornbill *Ramphomicron microrhynchum*

Notes 1978 17-19b/w.

Tyrian Metaltail *Metallura tyrianthina*

"Moulted out" 1971 177.

Neblina Metaltail *Metallura odomae*

Discovered 1983 53.

Bronze-tailed Thornbill *Chalcostigma heteropogon*

1978 103.

Rainbow-bearded Thornbill *Chalcostigma herrani*

1978 103-104b/w.

Long-tailed Sylph *Agelaiocercus kingii*

Nesting 1972 179 (Hatched).

Violet-tailed Sylph *Agelaiocercus coelestis*

Bred 1997 94.

Horned Sungem *Heliactin bilophus*

Note 1955 212; 1973 49-52b/w.

Stripe-breasted Starthroat *Heliomaster squamosus*

Mating display 1976 221-222. Notes 1976 83-84b/w.

Blue-tufted Starthroat *Heliomaster furcifer*

Eclipse plumage 1975 14.

Oasis Hummingbird *Rhodopis vesper*

Bred 2001 184.

Peruvian Sheartail *Thaumastura cora*

Eclipse plumage 1975 13.

Amethyst Woodstar *Calliphlox amethystina*

Notes with observations on eclipse plumage 1975 13-14b/w.

Vervain Hummingbird *Mellisuga minima*

Wild 1936 100.

Ruby-throated Hummingbird *Archilochus colubris*

Nesting 1903 334-335 (Wild). Simple diet 1977 75-76.

Black-chinned Hummingbird *Archilochus alexandri*

Bred 1994 183. Hand-rearing behaviour and maturation 1972 202-205b/w.

Observations on an albino 1973 203-204b/w.

Purple-collared Woodstar *Myrtis fanny*

Bred 1997 46.

Allen's Hummingbird *Selasphorus sasin*

Bred 1994 183. Breeding 1962 86-88.

MOUSEBIRDS *Coliidae*

1925 279; 2010 40-42b/w. How I came to keep 2000 104b/w. Hundred reared comprising three species 1967 19. Recent imports 1991 90.

Speckled Mousebird *Colius striatus*

1903 174-177b/w. Behaviour 1985 231-236. Bred 1938 67. Breeding 1915 179-180;

1969 54-62b/w. Breeding Records 1958 185.

White-headed Mousebird *Colius leucocephalus*

Breeding 2006 116-118*. Its breeding in captivity 2005 30-35*.

Red-backed Mousebird *Colius castanotus*

Bred 1987 95. Breeding 1975 79-80.

White-backed Mousebird *Colius colius*

Bred 1966 174.

Blue-naped Mousebird *Urocolius macrourus*

Bred 1966 174; 1970 35. Breeding 1969 54-62b/w; 1979 146-156b/w; 1980 85-90.

Helping to rear Fruit Dove squab 1998 132. Soft-parts 1909 94-96.

Red-faced Mousebird *Urocolius indicus*

1910 199-201*. Bred 1987 170. Breeding 1966 79-84b/w. Husbandry and reproduction 1994 49-51.

TROGONS *Trogonidae*

1925 224.

Golden-headed Quetzal *Pharomachrus auriceps*

Bred 1987 111. First European breeding 2013 25-32*. Twenty-two reared 2007 48.

- Resplendent Quetzal** *Pharomachrus mocinno mocinno*
1930 61-64, 126-127; 1939 323 (Wild); 1969 75. Fertile eggs laid 1951 66.
- Costa Rican Quetzal** *Pharomachrus mocinno costaricensis*
Breeding Record 1943 165-168. Longevity, more than twenty-two years 1965 133.
Note 1943 30.
- Cuban Trogon** *Priotelus temnurus*
At Berlin Zoo 1909 161. Exhibited 1909 111; 1912 65. My trogons (Plath) 1928 67-68;
1930 127; 1934 38b/w. *1925 192.
- White-tailed Trogon** *Trogon chionurus*
Bred 2002 143.
- Narina Trogon** *Apaloderma narina*
In captivity in South Africa 1921 116. Naming 1966 120. Note 1957 182.
- Javan Trogon** *Apalharpactes reinwardtii*
Bred 2002 186; 2003 88.
- Diard's Trogon** *Harpactes diardii*
Bred 2002 186; 2003 88.
- Red-headed Trogon** *Harpactes erythrocephalus*
"Been at Calcutta Zoo" 1913 47. Bred 2002 186; 2003 88.

CUCKOO ROLLER *Leptosomidae*

- Cuckoo Roller** *Leptosomus discolor*
2005 121-122*.

ROLLERS *Coraciidae*

- 1926 88. Gambian rollers 1920 140, 151. Husbandry 1928 248. Recent imports 1991 89.
UK First Breeding Records 1996 82.
- Purple Roller** *Coracias naevius*
1920 152-154. Bred 2002 91.
- Indian Roller** *Coracias benghalensis*
1899 64-66; 1903 72-73.
- Racket-tailed Roller** *Coracias spatulatus*
Bred 2002 91. Breeding 1992 22-26.
- Lilac-breasted Roller** *Coracias caudatus*
1920 141-142; 1921 17-19; 1924 160; 1958 117-118b/w. Bred at Paignton Zoo 1931
244. Breeding 1969 95-96; 1979 61-62b/w; 2011 169-173*. Partial success 1969 250-
251. Reared to ten days 1961 41. *1921 63; *1925 265.
- European Roller** *Coracias garrulus*
1898 103-107, 121-124; 1899 46-49; 1903 177-178; 1931 171-172; 1946 214-215.
Breeding 1901 217-219. Hand-rearing 1975 28-32.
- Blue-bellied Roller** *Coracias cyanogaster*
1920 151-152; 1925 191; 1927 25-26*; 2011 150-153. Bred 1998 3; 2002 91. Breeding
2001 1-3. Do you keep 2004 44.
- Broad-billed Roller** *Eurystomus glaucurus*
1920 154-155.

GROUND ROLLERS *Brachypteraciidae*

Pitta-like Ground Roller *Atelornis pittoides*

In captivity 2003 90.

Long-tailed Ground Roller *Uratelornis chimaera*

Bred 2003 89-90b/w.

KINGFISHERS *Alcedinidae*

1926 85b/w. Challenge of keeping 2009 41-45. Difficulty of keeping 1956 155. Exotic kingfishers in captivity 1948 93. Kingfishers of Australia 1967 89. Recent imports 1991 90. Some West African kingfishers 1960 205*. Successful propagation of three *Halcyon* species 1990 1b/w. UK First Breeding Records 1996 82.

Lilac Kingfisher *Cittura cyanotis*

Wild data 1997 116.

Laughing Kookaburra *Dacelo novaeguineae*

1907 172-174b/w; 1911 324-326; 1941 31-34b/w; 1946 213-214 (Bred); 1967 89-91; 1969 176-178. Albino 1987 112. Artificial rearing 1961 133-136b/w. Attempted breeding 1944 99-104b/w. Bred 1934 76-77; 1968 65-66b/w. Breeding 1912 89-91b/w; 1958 77-81b/w; 1961 166-168b/w; 1968 216-217b/w; 1975 42; 1996 63-67. Breeding dates 1938 286. Colouration 1944 150; 1945 55. Hand-reared 1976 51. Hardiness 1926 82-83. Hatched 1904 277. Longevity, thirty years old 1951 197. Washington Zoo breeding Record 1966 175.

Blue-winged Kookaburra *Dacelo leachii*

Bred 1971 105; 2002 27. *2002 21.

Spangled Kookaburra *Dacelo tyro*

1921 152; 1998 132.

Stork-billed Kingfisher *Pelargopsis capensis*

1925 26-27.

White-throated Kingfisher *Halcyon smyrnensis*

1901 39-40; 1971 153-157*. Breeding 1990 2-3b/w. Longevity, fifteen years 1965 157.

*1925 265.

Grey-headed Kingfisher *Halcyon leucocephala*

*1960 205.

Brown-hooded Kingfisher *Halcyon albiventris*

Breeding 1989 5-6b/w.

Striped Kingfisher *Halcyon chelicuti*

1916 312-313. Laid 1965 118.

Woodland Kingfisher *Halcyon senegalensis*

Breeding 1971 193-194.

Mangrove Kingfisher *Halcyon senegaloides*

B/w 1974 223.

Forest Kingfisher *Todiramphus macleayii*

1967 91-92b/w.

Collared Kingfisher *Todiramphus chloris*

Bred 2001 42. Hatched 1965 192; 1993 159.

Talaud Kingfisher *Todiramphus enigma*

Wild status 1997 115.

Micronesian Kingfisher *Todiramphus cinnamominus*

Bred 2001 92. Breeding 1990 6-8b/w. Parental behaviour 2008 15-23*.

Beach Kingfisher *Todiramphus saurophagus*

1931 29*.

Sacred Kingfisher *Todiramphus sanctus sanctus*

1900 117-119*; 1965 75*; 1967 91-92. Bred 1970 105. Hatched 1940 32. Laid 1900 203.

New Zealand Kingfisher *Todiramphus sanctus vagans*

1934 11-14. Breeding 1990 10-19b/w.

African Pygmy Kingfisher *Ispidina picta*

Bred 1971 108; 1972 68. Breeding 1964 15-18. Imported 1930 195; 1931 205-206*; 1970 89-91*.

Malachite Kingfisher *Corythornis cristatus*

1957 125-126. Laid 1968 30.

Shining-blue Kingfisher *Alcedo quadribachys*

1968 30.

Common Kingfisher *Alcedo atthis*

1895 65-67; 1897 137-139; 1901 84; 1915 49-52b/w, 103-104, 134-136, 139-144b/w, 147-159, 167-168. Fearlessness 1923 277-278. Feeding 1916 70. Notes 1956 157-158. Rearing and breeding 1939 33-36b/w. Successful breeding 1933 91.

Pied Kingfisher *Ceryle rudis*

Nestlings to be collected 2000 46.

TODIES *Todidae*

A description of the family 1987 147.

Cuban Tody *Todus multicolor*

1930 84.

Jamaican Tody *Todus todus*

Attempt to hand-rear 1907 339-342. Wild 1936 101-102.

MOTMOTS *Momotidae*

1926 33; 1948 101*. Recent imports 1991 90. Recently fledged (= species?) 1933 460. UK First Breeding Record 1996 82.

Blue-crowned Motmot *Momotus coeruliceps*

1916 151-157b/w*. Abnormal racquets 1918 171b/w. At London Zoo 1927 172 (*M. m. swainsoni*). Bred 1956 42. Breeding 1955 230-233b/w; 1970 188-189b/w; 1991 38-40; 2003 163-166; 2012 63-76*. Replacement sort 2012 143. *1925 265.

Rufous-capped Motmot *Baryphengus ruficapillus*

At Berlin Zoo 1909 161.

BEE-EATERS *Meropidae*

1926 34b/w. Management 1970 186b/w. Recent imports 1991 89. UK First Breeding Records 1996 82. Water-diving behaviour 1983 237. Website 2004 43. HYBRIDS: Northern Carmine Bee-eater x European Bee-eater 1970 186.

Blue-bearded Bee-eater *Nyctornis athertoni*

Note 1924 32. Sexing 1977 177.

Swallow-tailed Bee-eater *Merops hirundineus*

Note 1904 119.

Little Bee-eater *Merops pusillus*

1970 137-138*. Breeding 1970 139-140.

White-fronted Bee-eater *Merops bullockoides*

Bred 2001 92; 2002 91. Breeding 1997 20-27b/w*. Imported 1926 188; 1926 273-274; 1927 1-2*; 1933 190-192 (Longevity, almost seven years old).

White-throated Bee-eater *Merops albicollis*

B/w 1974 222.

Rainbow Bee-eater *Merops ornatus*

At London Zoo 1911 240; 1912 286b/w. In captivity 1939 294-295b/w.

European Bee-eater *Merops apiaster*

1902 103-108b/w, 128-132, 152-162; 1937 103-104b/w. Bred wild in UK for first time in 50 years 2002 140. Breeding in captivity 1970 186. Nesting in Britain 1955 328. Old friends 1906 255. *1925 265.

Northern Carmine Bee-eater *Merops nubicus*

Breeding 1970 186. Wild 1927 211.

HOOPOES *Upupidae*

1926 67.

Hoopoe *Upupa epops*

1900 41-48, 289; 1907 193, 236-242, 280-282; 1910 229-230; 1911 38-39, 260-262b/w (South African Hoopoe *U. e. major*); 1976 1-2*. Bred 2001 97. Breeding 1936 209-211, 251-254; 1964 119-122b/w, 163-166; 1970 189-190; 2003 22-28*. Breeding project 1997 46. Breeding results 1993 106. Captive management 1982 226-234b/w. Confiscated 1993 48. First Breeding Record 1996 82. Hand-rearing 1968 159-160. Nesting wild in Britain 1956 233. Notable success 1995 45. Recent imports 1991 89.

WOOD HOOPOES *Phoeniculidae*

1926 70. Recent imports 1991 89.

Green Wood Hoopoe *Phoeniculus purpureus*

Bred 2001 98. Breeding 1968 184-185. Breeding notes 1997 62. Hand-rearing 1976 4-7b/w. Notes 1921 88; 1922 36-37. UK First Breeding Record 1996 82. Unusual behaviour 1964 38. *1925 265.

GROUND HORNBILLS *Bucorvidae*

Abyssinian Ground Hornbill *Bucorvus abyssinicus*

Bred 1996 139. Growth and development 1988 211-215b/w. Incubation and hand-rearing 1994 221-223b/w. Fifty-first chick 2004 144. Longevity, forty-six years 1997 93. Observations on hatching 1973 27-29.

Southern Ground Hornbill *Bucorvus leadbeateri*

1902 121-122; 1911 121-123b/w, 208; 1914 57b/w. Bred 2007 187. Disappearing 2003 91. Fertile eggs 1995 43. Wild nesting data 1996 139.

HORNBILLS *Bucerotidae*

1914 57b/w; 1926 64. Any hope for? 1992 119. At London Zoo 1992 148. Breeding in Austrian Zoo 2007 47. Complicated taxa 2008 (1)ibc. Conference 1992 38; 2004 78; 2008 96. Family adoption report 2009 134-137*. Helping save 2003 45. Hornbill Watch 2014 39. In Thailand (Avicultural Society sponsorship) 2003 57b/w; 2004 99-103b/w; 2006 34; 2007 132-133b/w. Mixed fortunes of A.S. sponsored 2012 103-104*. Nine species bred 1999 94. Recent imports 1991 89. Results at Chester Zoo 1995 207. Supplying indigenous people with captive moulted tail feathers 2002 47. Two new pairs adopted 2011 142. Two species bred 2009 157. UK First Breeding Records 1999 83.

Northern Red-billed Hornbill *Tockus erythrorhynchus*

Bred 1956 40. Breeding 1968 144-146; 1979 59-60. Hatched 1926 282. New subspecies *T. e. kempi* 2001 49.

Von der Decken's Hornbill *Tockus deckeni*

And Jackson's Hornbill: One species or two? 1993 9-11, 213-214. Breeding 1992 45-47b/w; 2002 69-74b/w. Species validity 1980 115.

Jackson's Hornbill *Tockus jacksoni*

1974 117-118; 1976 69-72b/w. And Von der Decken's Hornbill: One species or two? 1993 9-11, 213-214. Bred 1976 54; 1978 118. Note 1980 115.

Eastern Yellow-billed Hornbill *Tockus flavirostris*

Bred 1964 116; 1980 N/L; 1987 173. Breeding 1984 36-40b/w.

Crowned Hornbill *Lophoceros alboterminatus*

1908 97b/w. Bred 1976 112. Breeding 1998 61-64b/w*.

African Grey Hornbill *Lophoceros nasutus*

1919 107-109. Breeding 1990 167-170b/w (South African Grey Hornbill *T. n. epirhinus*). Breeding note 1995 174. Methods used to collect data 1992 155-162.

Piping Hornbill *Bycanistes fistulator*

Some notes on 1999 97-102b/w.

Trumpeter Hornbill *Bycanistes bucinator*

Breeding 1991 67-73b/w. Longevity, twenty-one years 1950 268-269. Seventeen reared since 1989 1996 178.

Black-and-white-casqued Hornbill *Bycanistes subcylindricus*

Breeding 1973 23-25b/w; 1982 15-25. Longevity, thirty-two years 1967 62.

Silvery-cheeked Hornbill *Bycanistes brevis*

Fledged 2003 186.

Black-casqued Hornbill *Ceratogymna atrata*

1914 57-58b/w.

White-crested Hornbill *Horizocerus albocristatus*

Bred in South Africa 2007 46.

Rhinoceros Hornbill *Buceros rhinoceros*

Bred 1996 45. Local extinctions 2002 47. Longevity, nearly twenty-four years 1961 41. Nest activity in relation to rainfall patterns 2003 53-56. Second generation 2004 186.

Great Hornbill *Buceros bicornis*

Artificial bill fitted 1970 206. Bred 1989 105; 1993 106; 2003 69-70*. Breeding 1978 183-185; 1987 159-161b/w. Fertile eggs laid 1972 213. Fledged 2003 186. Longevity, fifty-two years 1998 185. Long-lived 1955 324; 1996 186. Nest box cameras installed 2002 28-30. Nesting Record (Eggs) 1955 113-118b/w. Prolific pair 1994 107-108.

Helmeted Hornbill *Rhinoplax vigil*

Local extinctions 2002 47.

Oriental Pied Hornbill *Anthracoceros albirostris*

Bill growth and development 1978 20-31b/w. Bred 1974 115.

Black Hornbill *Anthraceros malayanus*

Bred 1998 93; 2000 140; 2013 141.

Bushy-crested Hornbill *Anorrhinus galeritus*

Pair adopted by Avicultural Society 2002 89.

Blyth's Hornbill *Rhyticeros plicatus*

1998 93. Breeding 2001 165-166.

Wreathed Hornbill *Rhyticeros undulatus*

Aggressive behaviour 1967 170-171b/w. Behaviour differences among captive 1968 98-99. Fledged 2003 186.

Knobbed Hornbill *Rhyticeros cassidix*

Bred 1998 93; 2001 142. Research 2005 92.

Walden's Hornbill *Rhabdotorrhinus waldeni*

Critically endangered species bred for the first time 2005 92.

Writhed Hornbill *Rhabdotorrhinus leucocephalus*

Bred 2000 140.

Sulawesi Hornbill *Rhabdotorrhinus exarhatus*

At Whipsnade 2006 47. Bred 2000 140; 2006 142.

Wrinkled Hornbill *Rhabdotorrhinus corrugatus*

Bred 1998 93; 2000 140. Breeding 1994 62-67; 1997 163-169b/w; 2003 80-81. Hatched 1994 141; 2000 78-79*. Observations on the breeding 1996 8-11.

Visayan Hornbill *Penelopides panini*

Bred 1978 118. Sixteen reared since 1993 1998 138.

JACAMARS *Galbulidae*

White-eared Jacamar *Galbalcyrrhynchus leucotis*

2000 50.

PUFFBIRDS *Bucconidae*

Collared Puffbird *Bucco capensis*

1937 33-34b/w.

Black-fronted Nunbird *Monasa nigrifrons*

2000 50.

White-fronted Nunbird *Monasa morphoeus*

2000 51.

NEW WORLD BARBETS *Capitonidae*

Scarlet-crowned Barbet *Capito aurovirens*

1950 51*, 135-136.

Scarlet-banded Barbet *Capito wallacei*

Habitat saved 2001 140-141.

Black-spotted Barbet *Capito niger*

Bred 1998 148; 2009 138. Breeding 1971 194-195. Note 1970 246.

Red-headed Barbet *Eubucco bourcierii*

Bred 1973 141; 1998 148. Breeding 1975 121-130b/w*. Note 1970 245.

TOUCAN BARBETS *Semnornithidae*

Toucan Barbet *Semnornis ramphastinus*

1939 205*. Breeding 1972 197-198; 1996 6-7.

TOUCANS *Ramphastidae*

1899 85; 1902 299; 1925 218. At London Zoo 1992 148. Breeding Centre 2006 47.
Breeding Records for Germany 1998 150. Dallas World Aquarium breeding results 2006 142; 2009 204. Low iron in diets 1999 130. My pet toucan 1918 122. Recent imports 1991 88. Seventeenth-century toucans 1950 143. Special Interest Group coordinator 2012 93. Ten species bred 2008 187. UK First Breeding Records 1999 84.

Groove-billed Toucanet *Aulacorhynchus sulcatus*

Exhibited 1924 64.

Crimson-rumped Toucanet *Aulacorhynchus haematopygus*

1930 317-318b/w. Bred 1970 250. Breeding 1982 193-198b/w; 1988 183-189b/w.

Green Aracari *Pteroglossus viridis*

Bred 2003 144. Breeding 1991 29-32b/w; 2004 167-169b/w*. Eleven reared 2006 186.

Black-necked Aracari *Pteroglossus aracari*

Bred 2003 86. Breeding at Weltvogelpark, Walsrode 2012 32-36*.

Chestnut-eared Aracari *Pteroglossus castanotis*

Longevity, sixteen years 1972 212.

Curl-crested Aracari *Pteroglossus beauharnaesii*

1962 111; 1970 37. Bred 2000 94.

Saffron Toucanet *Pteroglossus bailloni*

Imported 1909 274. Laid 1967 172.

Guianan Toucanet *Selenidera piperivora*

Bred 2001 142. Breeding 2007 157-165*.

Spot-billed Toucanet *Selenidera maculirostris*

Hatched 1914 48-49. Importations 1909 274. *1925 192.

Plate-billed Mountain Toucan *Andigena laminirostris*

Bred 1976 58.

Green-billed Toucan *Ramphastos dicolorus*

Bred 1998 150. Longevity, twenty-seven years 1974 113. *1925 192.

Channel-billed Toucan *Ramphastos vitellinus*

1929 199-200*; 1994 141-142*. Bred for eight years 1995 33. Breeding 1991 179-184b/w. Breeding note 1995 174.

Keel-billed Toucan *Ramphastos sulfuratus*

1946 216-217 (Sexing). Bred 1998 150.

Toco Toucan *Ramphastos toco*

A tame toucan 1944 40-41. Attempted breeding 1984 73-75. Bred 1993 159; 2000 44; 2011 138. Bred for fourth time 2006 143. Breeding at Weltvogelpark, Walsrode 2012 32-36*. Parent-rearing 1997 97-100b/w*; 2003 143.

White-throated Toucan *Ramphastos tucanus*

Bred 1999 95; 2005 143.

ASIAN BARBETS *Megalaimidae*

BARBETS

1925 222. At Clères 1921 68. Breeding in Germany 1998 148. Care of 1931 111; 1939 206,251. Notes 1950 135. Rare barbets imported 1920 166. Recent imports 1991 88. UK First Breeding Records 1996 83.

Fire-tufted Barbet *Psilopogon pyrolophus*

Breeding 1984 193-195b/w. Breeding note 1995 173. Imported 1929 10; 1929 175*; 1939 253-254.

Golden-whiskered Barbet *Psilopogon chrysopogon*

1939 252-253.

Red-throated Barbet *Psilopogon mystacophanus*

Bred 1998 150.

Black-banded Barbet *Psilopogon javensis*

1939 251-252.

Golden-throated Barbet *Psilopogon franklinii*

1905 323-330b/w*.

Black-browed Barbet *Psilopogon oorti*

Imported 1930 398; 1939 211-212. World first breeding 2004 182.

Blue-throated Barbet *Psilopogon asiaticus*

1939 212-214; 1961 115-118*. Bred 1998 150. Exhibited 1899 19,40. *1925 200.

Coppersmith Barbet *Psilopogon haemacephala*

1939 210-211.

AFRICAN BARBETS *Lybiidae*

Recent imports 1991 88. Rhodesian barbets 1958 30.

Grey-throated Barbet *Gymnobucco bonapartei*

1999 11.

Sladen's Barbet *Gymnobucco sladeni*

1999 11b/w.

Naked-faced Barbet *Gymnobucco calvus*

Bred 1998 149.

White-eared Barbet *Stactolaema leucotis*

1975 197-199b/w; 1976 114-115.

Speckled Tinkerbird *Pogoniulus scolopaceus*

Bred 1998 149.

Red-fronted Tinkerbird *Pogoniulus pusillus*

Imported 1930 185. Wild 1958 30.

Yellow-fronted Tinkerbird *Pogoniulus chrysoconus*

Breeding 1996 36-38.

Red-fronted Barbet *Tricholaema diademata*

Bred 1973 141. Breeding 1973 9-13b/w.

Acacia Pied Barbet *Tricholaema leucomelas*

Bred 1998 148. Breeding 1983 148-151. Imported 1920 166. Longevity, thirteen years 1939 254.

Spotted-flanked Barbet *Tricholaema lacrymosa*

Breeding 1977 1-3b/w.

Black-throated Barbet *Tricholaema melanocephala*

Breeding 1970 145; 2007 2-3.

Vieillot's Barbet *Lybius vieilloti*

1916 312.

White-headed Barbet *Lybius leucocephalus*

Bred 1981 114.

Chaplin's Barbet *Lybius chaplini*

Profile 2005 46.

Red-faced Barbet *Lybius rubrifacies*

1928 283*; 1931 110.

Black-collared Barbet *Lybius torquatus*

1971 53-54. Imported 1920 166; 1921 41. Wild 1958 30.

Brown-breasted Barbet *Lybius melanopterus*

Bred 1998 149; 2008 94. Breeding at Waddesdon Manor 2008 118-122*.

Double-toothed Barbet *Lybius bidentatus*

Bred 1972 68,107; 1974 118; 2003 142. Breeding 1976 191-193b/w.

Bearded Barbet *Lybius dubius*

1943 22-23; 1954 6b/w. Bred 1998 149; 2002 91. Breeding 1999 49-53b/w; 2003 154-162b/w.

Crested Barbet *Trachyphonus vaillantii*

1909 337-338*; 1939 257-258 (Eggs). Bred 1938 285; 1980 N/L. Breeding 1987 168-170. Imported 1920 166. "Reared each year" 1956 162. Wild 1958 31.

Red-and-yellow Barbet *Trachyphonus erythrocephalus*

Bred 2001 142. Breeding 1973 194-196b/w; 1980 128-130; 2001 49-52; 2005 21-25*.

Yellow-breasted Barbet *Trachyphonus margaritatus*

1939 255-257. Bred 1927 226.

D'Arnaud's Barbet *Trachyphonus darnaudii*

Bred 2001 91 (*T. d. boehmi*). Breeding 1972 52-53.

HONEYGUIDES *Indicatoridae*

1957 170. Death-lure of 1927 150. Nesting habits 1927 247,283.

Spotted Honeyguide *Indicator maculatus*

1957 170.

Greater Honeyguide *Indicator indicator*

A tame honeyguide 1927 152-155 (Possible immature of this species).

WRYNECKS AND WOODPECKERS *Picidae*

Drumming 1981 183. In captivity 1954 166b/w. Interspecific actions of sexual signals among hand-raised woodpeckers 1974 104. Recent imports 1991 88. Some North American woodpeckers 1919 48. UK First Breeding Records 1996 84. Woodpeckers 1925 192*. Woodpeckers in the Padstow area 1980 182. Wrynecks 1925 197.

Eurasian Wryneck *Jynx torquilla*

1895 83-84; 1911 39; 1925 197-199,228-231.

White Woodpecker *Melanerpes candidus*

Bred 2012 (4)ibc. Breeding 1937 244-246. Co-operative breeding 1990 73b/w. Hatched 1937 235.

Acorn Woodpecker *Melanerpes formicivorus*

Breeding 1946 201-203; 1966 78,174; 1979 68-70.

Yellow-fronted Woodpecker *Melanerpes flavifrons*

Breeding 1961 182-184; 1991 154. Longevity, fifteen years 1932 168. Second generation 1996 140. Taking nectar mixture 1954 166-167.

- Black-checked Woodpecker** *Melanerpes pucherani*
Bred 1992 141. Breeding notes 1997 60-61. Killed by Stella's Lorikeet 2001 99.
- White-fronted Woodpecker** *Melanerpes cactorum*
Keeping and breeding 2012 159-162*.
- Jamaican Woodpecker** *Melanerpes radiolatus*
1936 102 (Wild).
- Red-crowned Woodpecker** *Melanerpes rubricapillus*
1920 168-169b/w (= this species?).
- West Indian Woodpecker** *Melanerpes superciliaris*
Interesting woodpecker from Cuba 1965 1-2b/w. Note 1954 245.
- Lesser Spotted Woodpecker** *Dendrocopos minor*
Breeding 1977 125-126. Rearing by hand 1911 184-188.
- Fulvous-breasted Woodpecker** *Dendrocopos macei*
At London Zoo 1903 183. Bred 1992 38. Breeding 1996 18-20.
- Great Spotted Woodpecker** *Dendrocopos major*
1914 265-267b/w (Hand-reared). Notes on hand-rearing 1979 121-124b/w. Released birds breeding 1980 182.
- Downy Woodpecker** *Picoides pubescens*
1964 28-29.
- Red-cockaded Woodpecker** *Picoides borealis*
Protected 1993 215.
- Black-backed Woodpecker** *Picoides arcticus*
1966 69-70*.
- Helmeted Woodpecker** *Dryocopus galeatus*
Sighted 1988 108.
- Black Woodpecker** *Dryocopus martius*
Captive observations, its perception of food through layers of wood 1955 168-172.
- Pale-billed Woodpecker** *Campephilus guatemalensis*
Keeping 1957 149-151.
- Ivory-billed Woodpecker** *Campephilus principalis*
1979 75-84. Sightings reported 1968 70; 1974 75; 2006 91.
- Greater Yellownape** *Chrysophlegma flavinucha*
1919 205-206; 1920 135; 1924 281-283*. Longevity, twenty-six years in captivity 1941 30.
- European Green Woodpecker** *Picus viridis*
Destruction of bees 1924 172-173. Party of woodpeckers 1923 237-238.
- Common Flameback** *Dinopium javanense*
*1925 192.

CARACARAS AND FALCONS *Falconidae*

Middle East Falcon Research Group 2000 90. Science of breeding falcons 1981 208.
HYBRIDS: Characteristics of falcon hybrids as trained birds 1990 152b/w. Peregrine Falcon x Saker Falcon 1972 150.

- Mountain Caracara** *Phalco boenus megalopterus*
1968 221. Bred 2002 97.
- Striated Caracara** *Phalco boenus australis*
1920 41-43.
- Southern Crested Caracara** *Caracara plancus*
Bred 1972 66-67; 1973 65. Breeding 1975 172-173; 2011 122-127*.



Mountain Pheasant *Falco punctatus* by Gregory Grahn

African Pygmy Falcon *Polihierax semitorquatus*

Laid 1967 97. Notes and observations on hand-rearing 2000 12-21b/w*. "Often laid but never hatched" 1931 251.

Collared Falconet *Microhierax caerulescens*

1969 163-164.

Black-thighed Falconet *Microhierax fringillarius*

1928 58-60.

Pied Falconet *Microhierax melanoleucos*

Notes 1914 93-98; 1924 262-263.

Common Kestrel *Falco tinnunculus*

As pet 1949 85-86. Attacking Wood Pigeons 1923 36-37. Attempting to rear 1923 172-173. Bred 1897 77; 1976 110 (Male-coloured bird laying); 1976 219 (Male-coloured bird bred). Deregulation 1994 175. Feeding young Kestrels 1924 111. Hunting variations 1924 140-142. Management 1901 233.

Mauritius Kestrel *Falco punctatus*

Breeding 1993 1-8b/w. Captive breeding project 1981 191-207b/w. Conservation programme 1994 53. Population increase 1991 193.

American Kestrel *Falco sparverius*

Bred 1970 166; 1980 51. Laid 1970 164.

Apomado Falcon *Falco femoralis*

1949 89. Predatory behaviour in captivity 1976 169-171.

Merlin *Falco columbarius*

Laid 1970 164.

Bat Falcon *Falco rufigularis*

1990 103.

Orange-breasted Falcon *Falco deiroleucus*

Note 1983 238.

Eurasian Hobby *Falco subbuteo*

1913 263-272b/w.

New Zealand Falcon *Falco novaeseelandiae*

1934 204-205.

Lanner Falcon *Falco biarmicus*

Bred 1973 141; 1974 160. Erlanger's Falcon *F. b. erlangeri* 1922 24-25. Laid 1970 164.

Laggar Falcon *Falco jugger*

Bred 1974 233.

Saker Falcon *Falco cherrug*

Bred 1974 160.

Gyrfalcon *Falco rusticolus*

In captivity 1924 111. Bred 1974 233.

Prairie Falcon *Falco mexicanus*

Bred 1974 160.

Peregrine Falcon *Falco peregrinus*

A thriving falcon 1924 108-110. Bred (Peale's Peregrine Falcon *F. p. pealei*) 1969 33. Breeding Records 1974 160. Cornell University's breeding results 1980 180. Hand-rearing 1972 150. Laying in captivity 1925 156. Protection in Sweden 1971 150. Summary of production and reintroduction 1985 79-92.

NEW ZEALAND PARROTS *Strigopidae*

Kea *Nestor notabilis*

1926 130; 1934 65-75* (Wild); 1936 186-189; 1947 44-50b/w. Breeding 1947 50-55b/w; 1958 109-110b/w; 1973 122-125b/w; 1976 108-109. Breeding Records 1971 149. Change of habits 1905 115,144. Chat about 1938 72-78. Cold hardiness 1971 106-107,181. Golden colour form found 2005 48. Keas and sheep 1907 76; 1938 147; 1939 63. Lasting responsiveness towards its mirror image 1989 92-94. Longevity, thirty-one years 1971 147. Notes 1933 107,230; 1938 173. Second generation 1983 71-73. Trapping 1908 281-286.

Kaka *Nestor meridionalis*

1926 129. Bred 1991 96. Longevity, fifteen years 1968 103. Wild 1934 17-21.

Kakapo *Strigops habroptila*

1907 234-235b/w; 1916 183-186b/w,238; 1934 205-208 (Wild). Breeding in wild 1991 191. Hatched 1991 44; 1992 138. Notes 1902 53; 1961 110-111; 1962 41; 1981 58; 1985 54-55. Purchased by London Zoo 1911 267.

COCKATOOS *Cacatuidae*

BLACK COCKATOOS

1981 117; 1982 124; 1984 177.

Palm Cockatoo *Probosciger aterrimus*

1904 135; 1938 342; 1950 127b/w (Hatched). Aggression 1995 206. Bred 1974 69. Breeding and hand-rearing at Jurong Bird Park 2013 171-176*. Display 1928 291. EEP 1997 36-38. Food 1907 255. Habits 1908 59. Imported 1927 273. Rearing 1992 92-96b/w. Significance of bill shape 1972 99-100b/w. Stolen birds recovered 1993 49. Tool-using 1994 68-73b/w. Trace mineral deficiency as a cause of improper feather growth 1974 159-160.

Red-tailed Black Cockatoo *Calyptorhynchus banksii*

1950 127-130. Bred 1979 170; 1981 185; 2012 (4)ibc. Breeding 1940 136; 1945 143; 1955 86-87b/w; 1980 202-204. "Breeding regularly" 1949 31. Hand-reared 1974 78. Hatched under bantam and hand-reared 1964 32. Note 1980 173-174. Sir Lawes-Wittewronge's cockatoos 1904 135-136. Unrecorded heat stress posture and feeding habit in captive 2004 69-70.

Glossy Black Cockatoo *Calyptorhynchus lathami*

1950 130-131; 1981 185. Bred 1959 80; 1988 232. Breeding 1954 163-164. Hatched 1954 96.

Yellow-tailed Black Cockatoo *Calyptorhynchus funereus*

1950 131-132; 1993 33. Food 1907 255; 1908 59-60. Story of "Spinx" 1942 168-171.

Carnaby's Black Cockatoo *Calyptorhynchus latirostris*

At Chester Zoo 1996 177.

Baudin's Black Cockatoo *Calyptorhynchus baudinii*

1950 132-133; 1954 224-225b/w. First importation 1954 96. Note 1980 173.

Gang-gang Cockatoo *Callocephalon fimbriatum*

1938 349-350; 1950 133-135 (Bred). Bred 1921 176; 1940 270; 1953 13; 1991 191. Breeding 1922 7-11b/w; 1938 258-260. Breeding Records 1933 43. Imported 1897 34. Note 1980 174. Treatment 1900 187-188.

WHITE COCKATOOS

1926 148. Catching in Victoria 1920 79. Husbandry 1987 202. Jealous cockatoos 1937 28b/w. Longevity, seventy years 1903 371. Notes on keeping 1969 49.

Notes on my cockatoos (Kendall) 1960 13; 1964 26. Observations on cockatoos 1959 9b/w. Protein deficiency as possible cause of feather plucking 1975 56. Unusual feeding habit 1982 179.

HYBRIDS: Galah x Greater Sulphur-crested Cockatoo 1938 301; 1949 111; 1961 110. Galah x Little Corella 1957 41b/w. Galah x Long-billed Corella 1967 21. Galah x Major Mitchell's Cockatoo 1950 99. Galah x Yellow-crested Cockatoo 1933 43; 1938 301. Greater Sulphur-crested Cockatoo x Galah 1912 269. Greater Sulphur-crested Cockatoo x Little Corella 1959 183. Greater Sulphur-crested Cockatoo x Pink Cockatoo 1938 301. Little Corella x Galah 1950 139. Long-billed Corella x Galah 1966 140. Major Mitchell's Cockatoo x Citron-crested Cockatoo 1964 26. Major Mitchell's Cockatoo x Galah 1980 174. Major Mitchell's Cockatoo x Little Corella 1961 141. Major Mitchell's Cockatoo x White Cockatoo 1963 250.

Major Mitchell's Cockatoo *Lophochroa leadbeateri*

1940 306-307; 1950 162-163; 1978 201-203. Bred 1944 149. Breeding 1938 237-238. Nesting 1901 191-192 (Bred). Note 1950 94. Reared at London Zoo 1921 153. Sexing 1960 84. Vulnerable in Victoria 2012 189.

Galah *Eolophus roseicapillus*

1950 19-20, 166-167; 1963 160-169b/w. Albino 1928 77. Bred at liberty 1911 214; 1922 142. Breeding 1936 320-323; 1938 107-109. Breeding Record 1933 43. Double-brooded 1957 75; 1962 150. Mutations 1932 240-242; 1980 174. Two old birds 1953 45-46. Use of nesting material 1927 282.

Long-billed Corella *Cacatua tenuirostris*

1950 165-166. Bred 1967 21; 1969 276. Breeding 1959 107-108b/w; 1970 236-238. Longevity, one-hundred-and-six years 1958 182.

Little Corella *Cacatua sanguinea*

1950 163-164. Bred 1927 224. Breeding Records 1938 301. Destruction of 1992 37.

Tanimbar Cockatoo *Cacatua goffiniana*

Bred for sixteen years 1990 171-173. Breeding 1975 155-156b/w; 1977 182-184; 1980 195-201b/w.

Solomons Cockatoo *Cacatua ducorpsii*

1901 92-96; 1999 92. A pet 1920 112-113.

Red-vented Cockatoo *Cacatua haematuropygia*

Bred after 19 years of trying 2011 86. On-going conservation work 2001 91.

Yellow-crested Cockatoo *Cacatua sulphurea sulphurea*

Breeding 1970 238-239; 1972 14. Breeding Records 1971 48. Hatched 1922 194. Reared 1924 257-258; 1925 83-84. Unusual feeding habits 1979 31.

Timor Cockatoo *Cacatua sulphurea parvula*

Bred 1955 327. Breeding 1956 6-8.

Citron-crested Cockatoo *Cacatua sulphurea citrinocristata*

Bred since 1956 1976 217. Breeding 1955 226-227. In Sumba 1979 93-94. Killing sparrow 1962 150. Notes 1953 20; 1956 25-27b/w; 1960 14-17; 1972 74.

Greater Sulphur-crested Cockatoo *Cacatua galerita*

1902 83-84b/w; 1950 161-162. Catching 1907 211-215. Longevity 1917 56; 1948 175; 1958 182. Tool-using 1983 239.

Blue-eyed Cockatoo *Cacatua ophthalmica*

Bred 1951 191; 1954 76; 1991 147; 1994 140*. Breeding 1965 109-111; 1966 90; 1984 141-142. Breeding note 1995 177. In New Britain 2001 146-148b/w. Note 1937 37. Seven reared 2002 92.

White Cockatoo *Cacatua alba*

Bred 1974 123. Breeding 1960 208; 1968 15-16b/w. Incubator hatching and hand-rearing 1987 136-139.

Salmon-crested Cockatoo *Cacatua moluccensis*

Breeding 1951 223-224b/w; 1972 4-7; 1979 125-134b/w. Longevity, sixty-four years old 1991 97. Nesting and hand-rearing 1976 57. Survey 1996 115.

Cockatiel *Nymphicus hollandicus*

1949 44-46; 1976 22-28. As fosters 1936 256; 1970 212. Hybrid 1949 32. Killing mice 1902 75. Longevity, twenty-nine years 1960 121. Male rearing young 1951 239. Notes on keeping 1969 46-47. Notes on nestling 1907 300-303b/w. Our Joey 1901 116. Sad Cockatiel 1932 152.

PARROTS AND ALLIES *Psittacidae*

A historical review of parrots bred in America 1999 145. A technique for hand-rearing 1989 14b/w. Abnormal colouring 1969 137. African parrots 1942 59,103. As fosters 1937 210. And *Strigiformes*: Phylogenetic likeness or convergence? 2004 145. Australian parrots in captivity 1949 14b/w,44,115b/w,162b/w; 1950 21b/w,76,122b/w,161,218. Australian parrots in Holland 1960 106. Behavioural characters of use in taxonomy 1967 77. Body weights 1998 27. Breeding rare parrots in America 1926 160. Chick calls used in taxonomic research 1984 123. Conserving around the world 2011 87. Correct identification 1985 236. Dangerous nestboxes 1954 147. Diseased parrots imported 1936 256. Diseases in the wild 1932 59. Displays 1976 116. English names of parrots 1914 283,315,341,377; 1915 43,77,95,128,165,191,225,288,317,353; 1916 41,66; 1976 101. Extinct, vanishing and hypothetical parrots 1970 198. Face-clawing 1978 238; 1979 108. Feeding 1900 240; 1970 170. Feeding mice to parrots 1896 12. Feral parrots in Florida 2005 3-5. Feral parrots in Spain 2001 138. First psittacine produced by A.I. (Artificial Insemination) 1982 171. Fossil remains found 1983 54. Fostering eggs and chicks 1973 219. Help for parrots of Halmahera 2008 140. Importation 1939 161. Is grit dangerous to newly imported parrots? 1896 12,31,48,62,93. Keeping parrots in Germany 1934 288. Lesser Antillean Parrot Programme at Jersey Zoo 1976 101. List of coloured plates of parrots 1917 85,117,151,176. Longest lived 2012 (2)ibc. Longevity 1954 165; 1969 198; 1970 40. Meat-eating 1896 31; 1973 87. Mixing parrots 1954 81. Need to supply fresh branches 1951 75. Nesting sites 1931 257. Nests and nesting 1972 155. Notes on egg, natal down and plumage 1989 38. Parrots 1911 375; 1920 46,65b/w,88,106,142; 1963 102. Parrots in England 1954 108. Parrots in general 1926 127. Parrot notes 1898 21,98; 1973 13. Parrots of Australia 1962 98b/w; 129b/w,199b/w; 1963 71b/w,160b/w,240b/w; 1964 59b/w,136b/w,201b/w; 1967 139b/w. Perches 1896 31. Planting trees for 2004 180. Psittacine Registry and Census 1947 70,165; 1948 166. Psittacines in California 1963 249. Psittacines the World over 1955 117. Psittacorial 1951 60; 1952 123. Remating 1953 57. Semen collection in 2013 144 b/w. Sexing 1921 4; 1971 182,231; 1972 112. Sickness in parrots 1932 11. Some hints on keeping 1914 207,296,353. Special Parrot Issues: 1939 December; 1942 November/December; 1945 January/February; 1947 March/April; 1980 October/December. Sulking in 1985 244. Taming 1917 243. The Boswell Parrot Collection 1982 101. Threat to parrots in aviculture 2002 49. Twin chicks (Unhatched) 1979 108. Unusual feeding habits in parrots 1983 122. Use of foot in feeding 1971 93; 1972 74,112. Use of foster parents at Loro Parque 1997 159b/w. Ways of parrots 1933 29. Welfare of captive parrots 1998 23. What is the longest lived bird? 1940 316. World protection for wild parrots 2013 38.

Pesquet's Parrot *Psittichas fulgidus*

1920 201-202; 1924 190-192b/w; 1936 175-176*. At Berlin Zoo 1974 30. Bred 1984 178; 1998 139,162; 2002 91. Breeding 1992 163-172b/w. Five bred 2001 92. Historical notes 1920 65; 1923 229-230; 1970 78b/w. My Pesquet's Parrot (Maxwell) 1952 232. Notes 1921 153; 1922 38; 1927 224. Origin of name 1970 133-134,164.

Some observations 1976 160-163 (Reared to eighty-seven days). Successful parent-rearing 1998 14-16. Who was Pesquet? 2003 142; 2004 186. Wild in Australia (?) 1949 48.

HANGING PARROTS

1927 20; 1947 169; 1973 107. Breeding 1947 235; 1971 226. Display of hanging parrots 1933 170. Nesting habits in captivity and freedom 1947 28.

HYBRIDS: Blue-crowned Hanging Parrot x Sri Lanka Hanging Parrot 1960 21b/w.

Vernal Hanging Parrot *Loriculus vernalis*

Breeding 1975 141-143; 1980 251-252. Nesting habits 1947 28-29. Note 1947 170.

Sri Lanka Hanging Parrot *Loriculus beryllinus*

1962 81-83*. Nesting habits 1947 30. *2007 125.

Philippine Hanging Parrot *Loriculus philippensis philippensis*

1971 126b/w. Breeding 1980 253-255b/w. Brooding 1970 206. Fledged 1970 250.

Cebu Hanging Parrot *Loriculus philippensis chrysonotus*

1972 37. Early Breeding Record 1971 126. Late records of 1959 177-178. Notes on 1929 8-10.

Worcester's Hanging Parrot *Loriculus philippensis worcesteri*

Nesting of 1931 299-301 (Eggs). New arrival 1930 49-50,163. Pair exhibited 1931 123.

Blue-crowned Hanging Parrot *Loriculus galgulus*

1917 269-270 (Eggs); 1928 175-176*; 1947 169-170; 1968 215-216 (Bred). Bred 1978 176. Breeding as trio 1992 123-124. Female assuming male colouring 1968 110.

Hatched in Russia 1933 46. Nesting 1911 304. Nesting habits 1947 29-30,143,232.

Occurrence and treatment of candidiasis 1965 143-145.

Great Hanging Parrot *Loriculus stigmatus*

Bred 1993 101.

Moluccan Hanging Parrot *Loriculus amabilis*

1929 237 (From description is this not Sulawesi Hanging Parrot *Loriculus stigmatus* as stated). Nested 1940 310. Nesting of 1931 238-239 (Eggs).

Sangihe Hanging Parrot *Loriculus catamene*

Wild data 1997 114.

Yellow-throated Hanging Parrot *Loriculus pusillus*

Bred 1971 126.

PYGMY PARROTS

Food of 1948 67. Smallest parrots in the world 1968 151.

Yellow-capped Pygmy Parrot *Micropsitta keiensis*

1960 209-215b/w.

Red-breasted Pygmy Parrot *Micropsitta bruijnii*

1908 335.

LORIES AND LORIKEETS

1926 130; 1974 237. A lory collection 1983 181. At liberty 1911 253b/w; 1949 22b/w. Attraction to Madrone tree 1984 221. Conference 2011 (1)ibc. Feeding 1908 84. Food 1936 166. Habits 1925 190. Hand-rearing 1975 169. Iron storage 2009 119-120.

Keeping and feeding 1928 160. Long lived 2012 53-54. Lories and lorikeets 1974 237. Lories bred at San Diego Zoo 1973 147. Lorikeet exhibits in UK zoos 2011 99. Note 1968 105. Lorikeets 1900 141; 1919 173. Notes on lorikeets in captivity in Australia 1946 111.

HYBRIDS: Lory hybrids 1941 9. Gray's Lory 2005 123-125*. Blue Mountain Lorikeet x Chattering Lory 1938 30. Collared Lory x Dusky Lory 1960 42.

Dusky Lory x Blue Mountain Lorikeet 1942 4. Red Lory x Blue Mountain Lorikeet 1937 138. Red-collared Lorikeet x Purple-capped Lory 1949 29.

Bernstein's Lory *Chalcopsitta atra bernsteini*
1974 97-98. Bred 1996 95.

Black Lory *Chalcopsitta atra atra*
1905 147-149b/w; 1974 94-97. Breeding 1910 28-29,360; 1978 121-124b/w. "Have young" 1909 398. Laid 1937 287. Notes 1980 224.

Rajah Lory *Chalcopsitta atra insignis*
Breeding 1993 178-181. Imported 1927 273; 1930 61*; 1974 138-140.

Brown Lory *Chalcopsitta duivenbodei*
At London Zoo 1930 129; 1931 125*; 1975 26-28. Breeding 1984 19-26b/w; 1991 37. History of one pair 2004 170-176*. Imported 1929 326. Longevity 2012 54. Parent-rearing 1994 110.

Yellow-streaked Lory *Chalcopsitta scintillata*
Breeding 1979 2-4b/w. Longevity 2012 53.

Cardinal Lory *Chalcopsitta cardinalis*
Bred 2002 91.

Eos

HYBRIDS: Red-and-blue Lory x Red Lory 1937 137.

Red-and-blue Lory *Eos histrio*
1998 5*. Bred 1996 95. CITES protection 1995 78-79. Population status 1997 113-114.

Violet-necked Lory *Eos squamata*
Bred 1974 135-136 (*E. s. attenua*). Breeding 1977 189; 1978 119. Breeding Record 1933 42. Hatched 1956 160. Races of 1997 184-185. Obi Lory *E. s. obiensis*: Breeding 1990 24-29; 1995 128-131. Imported 1989 45.

Red Lory *Eos bornea*
Bred 1942 46; 1980 224-225. Breeding 1968 198-199. Hatched 1974 134. Reared by Indian Ring-necked Parakeets 1965 196.

Blue-streaked Lory *Eos reticulata*
Breeding 1972 194-197.

Black-winged Lory *Eos cyanogenia*
At London Zoo 1909 251; 1931 106. Bred 1977 189. Imported 1907 243.

Blue-eared Lory *Eos semilarvata*
Imported 1907 243.

Dusky Lory *Pseudeos fuscata*
Bred 1942 46; 1976 15-16,123; 1978 88; 1980 222-224b/w. Hand-rearing 2012 54-55 b/w*. Notes 1907 243; 1909 308; 1921 87.

Trichoglossus

HYBRIDS: Blue Mountain Lorikeet x Red-collared Lorikeet 1912 189; 1917 268; 1938 301. Blue Mountain Lorikeet x Scaly-breasted Lorikeet 1963 92. Edwards's Lorikeet x Blue Mountain Lorikeet 1937 136. Forsten's Lorikeet x Red-collared Lorikeet 1933 42. Ornate Lorikeet x Blue Mountain Lorikeet 1945 24. Ornate Lorikeet x Scaly-breasted Lorikeet 1938 301. Biak Lorikeet x Blue Mountain Lorikeet 1943 54. Scaly-breasted Lorikeet x Forsten's Lorikeet 1969 35.

Ornate Lorikeet *Trichoglossus ornatus*
1897 81-84*. Bred 1938 301. Breeding 1970 241-242; 1971 83.

Mitchell's Lorikeet *Trichoglossus forsteni mitchellii*
Breeding 1938 227-229; 1938 276-278; 1963 32-33; 1970 26.

Forsten's Lorikeet *Trichoglossus forsteni forsteni*

Breeding 1906 24-25; 1907 81-82. Notes 1900 163-164.

Weber's Lorikeet *Trichoglossus weberi*

1904 246-250b/w. Breeding 1971 34-36b/w.

Edwards's Lorikeet *Trichoglossus capistratus capistratus*

Breeding 1967 3-4.

Trichoglossus haematodus

Identification, care and breeding 1974 203*; 1975 59. Observations on 1975 237.

Coconut Lorikeet *Trichoglossus haematodus haematodus*

Breeding in mixed exhibit 2006 39-43b/w. Imported 1907 243.

Black-throated Lorikeet *Trichoglossus haematodus nigrogularis*

1906 21-22*.

Blue-headed Lorikeet *Trichoglossus haematodus caeruleiceps*

Breeding 1967 8.

Massena's Lorikeet *Trichoglossus haematodus massena*

Breeding 1966 155-156.

New Caledonian Lorikeet *Trichoglossus haematodus deplanchii*

Bred 2004 93.

Western Green-naped Lorikeet *Trichoglossus haematodus berauensis*

Bred 1974 136.

Biak Lorikeet *Trichoglossus rosenbergii*

Bred 2002 92. Imported 1920 198; 1940 307-308; 1952 116.

Blue Mountain Lorikeet *Trichoglossus moluccanus*

1902 167-169,173,207,238,298; 1950 218-219. At liberty 1911 253b/w. Bred 1907 209-210; 1931 198; 1939 186-187. Bred in cage 1929 81-82. Breeding 1938 16-17.

Breeding all year round 1933 16. Breeding Records 1928 303-304. Diet 1900 36; 1903 114; 1921 76,94. Hatched 1931 260; 1939 186-187. Longevity 2012 54. Mutation 1946 111. Pets 1916 137-138. Reared 1932 147. Talking 1934 153. Twenty reared in two years 1937 77.

Red-collared Lorikeet *Trichoglossus rubritorquis*

1918 265; 1950 219-220. Imported 1904 57.

Olive-headed Lorikeet *Trichoglossus euteles*

Breeding 1971 115-116. Captive notes 1927 258-259.

Meyer's Lorikeet *Trichoglossus flavoviridis meyeri*

Hand-reared 1977 12-17; 1978 88-89. Hatched 1976 11-12. Notes 1980 220-221.

Mindanao Lorikeet *Trichoglossus johnstoniae*

1906 83-88*. Bred 1996 95; 1999 84; 2002 92. Breeding 1907 44-46. Breeding and husbandry 1997 6-14b/w.

Scaly-breasted Lorikeet *Trichoglossus chlorolepidotus*

1950 220-221. Bred 1933 226; 1963 88. Breeding Records 1944 45.

Varied Lorikeet *Psittuteutes versicolor*

1903 289-291*; 1904 169; 1950 221-222. Bred 1966 88. Breeding 1936 192-193b/w; 1950 260-261. Imported 1903 114; 1921 87.

Iris Lorikeet *Psittuteutes iris*

At Berlin Zoo 1933 22. Breeding 1975 22-24b/w. Hand-rearing 1977 16-17. Hatched 1976 12-14,123. Note 1972 180. Notes 1980 221-222.

Goldie's Lorikeet *Psittuteutes goldiei*

Bred 1953 104; 1980 184. Breeding 1951 133-135. Hand-rearing and parent-rearing 2008 24-31*. Keeping and breeding 1983 69-70.

Lorius

HYBRIDS: Black-capped Lory x Purple-capped Lory 1966 174.

Chattering Lory *Lorius garrulus garrulus*

1931 107-108. Breeding 1965 111-112. Notes 1945 2,27. Morotai Yellow-backed Lory *L. g. morotaianus* Bred 2002 186.

Yellow-backed Lory *Lorius garrulus flavopalliatu*s

Bred 1968 227; 1974 135. Breeding 1958 167-169b/w; 1969 26-27. Hand-rearing 1965 81-82. Notes 1925 102-103*.

Purple-naped Lory *Lorius domicella*

1895 69-70. Bred 1949 29; 1965 158. Breeding 1955 14-17; 1993 72-75b/w. Note 1956 39-40.

Black-capped Lory *Lorius lory*

1938 180-183; 1998 71-84b/w* (Book extract). "Alfred" 1938 200-202. Bred 1962 77. Breeding 1921 116-118,149. Laid 1974 135.

Purple-bellied Lory *Lorius hypoinochrous*

Bred for second year 1970 206. "Two month old chicks" 1969 147.

Yellow-bibbed Lory *Lorius chlorocercus*

At London Zoo 1912 71. Bred 2002 92.

Collared Lory *Phigys solitarius*

1912 52-53b/w; 1935 131-135; 1937 123-127*; 1993 215. At London Zoo 1912 71,226. Bred 1941 154,155; 2001 92; 2004 93. Early importation 1913 40. Hatched 1938 341. Observations in captivity 1941 72-75 (Bred); 1944 124-125. Twelve bred 1999 94.

Vini

Notes on 1993 107-108. Two species exhibited 1993 215.

Blue-crowned Lorikeet *Vini australis*

Bred 1973 147; 1998 161; 2001 92; 2002 91,92. Breeding 1993 27-29. Thirteen bred 1999 94.

Kuhl's Lorikeet *Vini kuhlii*

1936 127-128*. Bred 1937 137. Hatched 1944 124. Observations 1947 40-43 (Bred). Translocation 2007 140. Two hatched from translocated birds 2008 184.

BLUE LORIES

1940 308. Recent importations 1936 146.

Blue Lorikeet *Vini peruviana*

1936 65-66*,337. Breeding 1938 34-38 (Correction 91); 1995 1-14b/w*. Deserted eggs 1937 134. Hatched 1980 224-225b/w. "Young now half reared" 1937 349.

Ultramarine Lorikeet *Vini ultramarina*

1938 341. Breeding 1939 292-294. Translocated 1994 110.

Musk Lorikeet *Glossopsitta concinna*

1905 290-291,341-344; 1950 222-223; 1998 4-5*. Bred 1938 301; 1965 33; 2002 92. Breeding note 1995 171. Notes on husbandry and breeding 1993 188-192. Sexing 1932 250. Smell 1926 191.

Little Lorikeet *Glossopsitta pusilla*

Bred 1974 69. Breeding 1976 65-67.

Purple-crowned Lorikeet *Glossopsitta porphyrocephala*

1913 90b/w; 1950 223-224. Bred 1964 149,190; 1984 177. Hatched 1932 250-251.

Charmosyna

Breeding Records 1991 98,100. Wild notes 2001 186.

- Blue-fronted Lorikeet** *Charmosyna toxopei*
Sighted 1996 143.
- Pygmy Lorikeet** *Charmosyna wilhelminae*
Died on voyage over 1908 335.
- Red-fronted Lorikeet** *Charmosyna rubronotata*
Breeding and status 1993 118-121b/w.
- Red-flanked Lorikeet** *Charmosyna placensis*
Additional notes 1991 156-157. Aggressive towards other species 1997 65. Breeding 1991 3-8, 130-135. Imported 1908 334; 1927 307.
- Fairy Lorikeet** *Charmosyna pulchella*
1973 175-176; 1976 14-15 (Hatched); 1976 123; 1978 89-90. Bred 1990 60. Breeding 1915 29-30. Imported 1908 334; 1909 336.
- Josephine's Lorikeet** *Charmosyna josefinae*
Breeding 1991 167-173b/w.
- Papuan Lorikeet** *Charmosyna papou papou*
1973 156-157b/w.
- Stella's Lorikeet** *Charmosyna papou stellae*
1940 287*. Bred 1938 301; 1983 53. Breeding 1981 152-153; 1995 58-62*. Imported 1908 334; 1909 336. Killing woodpecker 2001 99. Response to pomegranate 1989 212-213.
- Plum-faced Lorikeet** *Oreopsittacus arfaki*
Imported 1908 336 (Southern Blue-cheeked Alpine Lorikeet *O. a. grandis*). Bred 1998 161; 2001 142; 2002 186 (Western Blue-cheeked Alpine Lorikeet *O. a. major*). Breeding 1999 106-109*. Needs special care 1999 110-111.
- Yellow-billed Lorikeet** *Neopsittacus musschenbroekii*
1956 117. At Foxwarren Park 1940 4,8. Bred 1954 77. Breeding 1989 4-8. Nesting 1950 211-213 (Hatched).
- Orange-billed Lorikeet** *Neopsittacus pullicauda*
1955 118. Bred 2002 92. Breeding 1993 21-23.
- Prosopieia*
1912 55; 1927 49; 1961 87.
HYBRIDS: 1944 22.
- Crimson Shining Parakeet** *Prosopieia splendens*
1917 149; 1973 146 (Reared to thirty-seven days).
- Masked Shining Parrot** *Prosopieia personata*
1900 245-246; 1912 56; 1935 94-97. "Georgie" 1920 119-120. Notes 1908 261; 1928 35-36.
- Maroon Shining Parrot** *Prosopieia tabuensis*
1917 149; 1935 97-104, 126-131 (Captive and wild).
- Eunymphicus*
1910 62b/w; 1927 100.
- Horned Parakeet** *Eunymphicus cornutus*
Bred 1998 139; 2001 92; 2002 91. Breeding 1980 187-194b/w*.
- Ouvea Parakeet** *Eunymphicus uvaeensis*
At London Zoo 1900 33b/w; 1919 173. Bred 2013 162. Diet 1918 283. Letter 1897 130. Treatment 1917 352.

Cyanoramphus

1927 100. Notes on 1934 273,305. Observations and suggested explanation for high mortality in captivity 1969 186.

Black-fronted Parakeet *Cyanoramphus zealandicus*
1934 307.

Raiatea Parakeet *Cyanoramphus ulietanus*
Wild 1934 307-308.

Norfolk Island Parakeet *Cyanoramphus cookii*
In America 1937 133; 1934 273. Endangered 1987 111. Notes on 1925 300-302. Wild 1932 286-287; 1939 406-410.

Lord Howe Parakeet *Cyanoramphus subflavescens*
1934 308.

Antipodes Parakeet *Cyanoramphus unicolor*
Bred 1973 102. Breeding 1988 120-128b/w. In collections 1898 145; 1899 15; 1985 55. Notes on 1931 35-37. Wild 1934 274-277.

Yellow-crowned Parakeet *Cyanoramphus auriceps*
1898 45-46. Breeding 1898 77-78; 1934 292-298; 1972 118-120. Note 1950 147-148. Triple-brooded 1968 29. Wild 1934 282-285.

Chatham Parakeet *Cyanoramphus forbesi*
1934 305-306; 1985 56.

Malherbe's Parakeet *Cyanoramphus malherbi*
Bred 1938 307. Wild 1934 306-307.

Kermadec Parakeet *Cyanoramphus novaezelandiae cyanurus*
1934 308-309.

Red-crowned Parakeet *Cyanoramphus novaezelandiae novaezelandiae*
1968 81-83 (Bred); 1985 55. Bred 1896 14; 1965 69. Breeding 1898 161-162. Mutations 1939 410. Wild 1934 278-282.

Reischek's Parakeet *Cyanoramphus hochstetteri*
1965 163-164*. Bred 1973 102.

Macquarie Parakeet *Cyanoramphus erythrotis*
1934 277.

AUSTRALIAN PARAKEETS

A buried complex 1926 313. Are certain species nearing extinction? 1924 145. Aviaries for 1906 79; 1929 79,258. Breeding 1933 229. "De Gustibus" 1929 90. Establishing strains of 1956 94. Food for 1953 73. Importation 1959 35. In general 1926 127; 1927 43,75,94. Logs and nest-boxes 1897 131; 1901 85. Management 1939 379. Marriage relationships 1925 243. Nesting at liberty 1915 324. Nesting sites 1927 238,282. Notes on 1904 198. Parakeets 1911 220,246. Problems with third broods 1953 72,114,150. Rings for 1904 83. Sexing 1914 42,59,87,119. Smuggling 1975 116. Then and now 1947 60b/w. Trade in 1976 117,223,224. "Wing-stripe" as sex and maturity indicator 1941 174b/w.

HYBRIDS: Australian King Parrot x Crimson-winged Parrot 1949 29. Crimson Rosella x Port Lincoln Ringneck 1966 28. Crimson-winged Parrot x Sula Island King Parrot 1927 259. Eastern Rosella x Cockatiel 1897 66. Green Rosella x Red-capped Parrot 1967 82. Mallee Ringneck x Red-rumped Parrot 1933 397. Pale-headed Rosella x Mallee Ringneck 1933 50. Port Lincoln Ringneck x Pale-headed Rosella 1933 51. Princess Parrot x Crimson-winged Parrot 1932 27. Red-capped Parrot x Crimson Rosella 1958 64. Red-capped Parrot x Pale-headed Rosella 1949 33. Red-rumped Parrot x Pale-headed Rosella 1933 51. Red-rumped Parrot x Western Rosella 1944 26. Sula Island King Parrot x Crimson-winged Parrot 1932 26. Superb Parrot x Eastern Rosella 1933 51. Superb Parrot x Crimson-winged Parrot 1939 398.

Western Rosella x Red-capped Parrot 1933 51. Western Rosella x Red-rumped Parrot 1946 10. Yellow Rosella x Red-rumped Parrot 1949 32.

Red-capped Parrot *Purpureicephalus spurius*

1911 285-286*; 1927 82-83; 1949 115-117; 1957 8-14b/w; 1964 201-211b/w; 1975 201-204. Bred 1909 307,364; 1974 136-137. Breeding 1909 291-294; 1950 208-211; 1957 14-17. Management 1926 191.

Platycercus and *Barnardius*

1927 77,81; 1939 378*. Breeding hybrid parakeets 1947 43. Summary of Breeding Records 1938 306.

HYBRIDS: Adelaide Rosella x Crimson Rosella 1925 29. Crimson Rosella x Eastern Rosella 1906 132. Eastern Rosella x Pale-headed Rosella 1933 51. Green Rosella x Eastern Rosella 1933 50,51. Mallee Ringneck x Twenty-eight Parakeet 1933 51.

Northern Rosella x Eastern Rosella 1947 55. Northern Rosella x Yellow Rosella 1957 51. Pale-headed Rosella x Crimson Rosella 1931 223. Pale-headed Rosella x Eastern Rosella 1933 41. Western Rosella x Eastern Rosella 1937 351.

Cloncurry Ringneck *Barnardius zonarius macgillivrayi*

1939 274; 1939 377-378; 1949 119-121; 1959 79. Bred 1970 36. Breeding 1940 91-93; 1968 18.

Mallee Ringneck *Barnardius zonarius barnardi*

1939 376-377; 1949 117-119b/w; 1963 240-249b/w. Breeding 1902 249-251; 1932 267-270; 1937 273-274. Lutino 1929 257. New race 1927 145-146. Tale of 1927 107-111.

Twenty-eight Parakeet *Barnardius zonarius semitorquatus*

1949 123-125. Breeding Record 1933 51. Hardiness 1986 58-59. Mutation 1926 343. Sexing 1906 218,240.

Port Lincoln Ringneck *Barnardius zonarius zonarius*

1939 376; 1949 121-123; 1964 59-68b/w. Breeding 1939 42-46; 1964 212-214.

Green Rosella *Platycercus caledonicus*

1925 143; 1949 168-170; 1977 142-145b/w. Bred 1926 279. Breeding 1934 261-264. Status in Dutch aviculture 1960 109.

Crimson Rosella *Platycercus elegans elegans*

1928 205*; 1949 162-164; 1962 99-106b/w. Abnormal plumage 1902 176,204. Aggression 1906 293-294,317. Anting 1965 61. At liberty 1916 52. Breeding 1899 176-178; 1902 11-16. Colour and variation of young 1906 157-158; 1928 280. Hand-rearing 1935 260. Homing instinct 1904 81-82. Laying twenty-four eggs 1943 28. Letters 1899 188-191; 1900 14,34. Sexing 1898 107-109,132. Status in Dutch aviculture 1960 109. Treatment 1900 160.

Adelaide Rosella *Platycercus elegans subadelaidae*

1914 72-77; 1949 164-166; 1954 236. Breeding 1907 342-343. Mutation 1980 174. Status in Dutch aviculture 1960 109.

Yellow Rosella *Platycercus elegans flaveolus*

1949 166-168b/w. Bred 1961 71. Breeding 1904 253; 1926 279-281. Double-brooded 1927 275. Hatched 1903 335. Status in Dutch aviculture 1960 109.

Blue-cheeked Rosella *Platycercus adscitus adscitus*

Bred 1967 62. New bird to aviculture 1969 4-5.

Pale-headed Rosella *Platycercus adscitus palliceps*

1949 170-173. Breeding results 1960 203. Experiences with 1915 171-179. Status in Dutch aviculture 1960 109. The diplomat 1925 188-190.

Eastern Rosella *Platycercus eximius eximius*

1927 75-77; 1947 175-177; 1962 129-136b/w. At liberty 1915 332-339. Breeding 1933 39-42; 1957 82-83. Male paired to hen Cockatiel hatched 1897 60. Note 1958 149. Seventeen reared in two clutches 1937 77. Status in Dutch aviculture 1960 109.

Northern Rosella *Platycercus venustus*

1902 211-212*; 1949 173-175. At London Zoo 1900 83. Bred 1929 310; 1931 340. Breeding 1928 234-238; 1956 112-115. Breeding Records 1930 59,83; 1933 51. Double-brooded 1933 13. Letters 1930 59,83. Longevity, more than ten years 1950 18. Rare arrival 1904 57. Status in Dutch aviculture 1960 109.

Western Rosella *Platycercus icterotis*

1949 177-179; 1951 1-3*. Breeding 1908 294; 1928 158-160; 1948 39-40. Double-brooded 1973 53. Intelligence 1916 179. Sex of 1909 223,248,276. Status in Dutch aviculture 1960 109.

Psephotus and *Northiella*

1927 94.

HYBRIDS: Golden-shouldered Parrot x Hooded Parrot 1956 118; 1960 93. Golden-shouldered Parrot x Mulga Parrot 1938 306. Hooded Parrot x Mulga Parrot 1953 102. Mulga Parrot x Red-rumped Parrot 1928 100. Mulga Parrot x Yellow-vented Bluebonnet 1950 139. Red-rumped Parrot x Hooded Parrot 1933 366. Red-rumped Parrot x Mulga Parrot 1968 35. Yellow-vented Bluebonnet x Red-rumped Parrot 1931 244.

Yellow-vented Bluebonnet *Northiella haematogaster haematogaster*

1927 83-84; 1950 24-27b/w; 1963 71-79b/w. Breeding 1911 269-270. Status in Dutch aviculture 1966 110.

Naretha Bluebonnet *Northiella narethae*

1950 28-29; 1954 239. A new bluebonnet 1922 11. Bred 1946 147; 1973 116. Breeding 1945 7-8.

Red-rumped Parrot *Psephotus haematonotus*

1950 21-22; 1962 199-207b/w. At liberty 1923 72,81; 1932 31; 1946 38. Blue mutation 1968 103. Bred 1932 15. Breeding 1896 159; 1899 28-31. First USA breeding 1955 204-207. How not to breed 1903 204-206. Notes 1922 131-133. Prolific pair 1903 341. Status in Dutch aviculture 1960 110. Submission in 1945 56. Yellow mutation, origin 1949 12-14.

Mulga Parrot *Psephotus varius*

1895 25-26; 1928 205-206; 1950 22-24b/w; 1964 136-145b/w; 1975 210-211. Breeding 1897 198-200; 1902 212-216; 1925 272-274; 1952 226-229. Breeding Records 1902 268; 1903 342; 1931 34. Longevity, still breeding after seventeen years 1933 14. Note on beak of nestling 1907 270-272.

Hooded Parrot *Psephotus dissimilis*

1913 108-110; 1913 151-153; 1914 133-134 (Wild); 1926 256-259,287; 1950 29-31. Breeding 1913 73-76,286; 1934 58-64; 1935 74. Breeding experiments 1939 188-190. Hatched 1913 65-66. History and status in Australia 1985 69-70. Hooded Parrot or Golden-shouldered Parrot 1910 165,178-179,197,223. Laid 1912 122-123. Prolific pair 1950 95. Status in Dutch aviculture 1960 110.

Golden-shouldered Parrot *Psephotus chrysopterygius*

1898 153-157*; 1899 157-159; 1903 30-32; 1913 108-110; 1923 34-36b/w; 1950 31-33; 1960 90-94. "Ant-hill Parakeet" 1930 28-29 (Wild). Bred 1959 79; 1968 31. History and status in Australia 1985 66-69. Hooded Parrot or Golden-shouldered Parrot 1910 165,178-179,197,223. Notes 1956 118; 1962 70-71.

Paradise Parakeet *Psephotus pulcherrimus*

1940 105-106; 1950 33-34. "Being kept and bred" (?) 1980 175. Breeding Record 1938 306. Producing a synthetic 1959 79. Wild 1927 196.

GRASS PARAKEETS

1927 98. An experiment with 1938 286. Facts and fictions 1935 120. In need of preservation 1926 127. Notes on 1940 294; 1942 32; 1952 199; 1974 178b/w. Success with 1933 429. Threatened extermination 1924 64.

HYBRIDS: Blue-winged Parrot x Turquoise Parrot 1931 341. Bourke's Parrot x Scarlet-chested Parrot 1933 12. Elegant Parrot x Scarlet-chested Parrot 1947 57. Elegant Parrot x Turquoise Parrot 1933 51. Scarlet-chested Parrot x Turquoise Parrot 1954 97. Turquoise Parrot x Elegant Parrot 1938 307. Turquoise Parrot x Scarlet-chested Parrot 1938 307.

Bourke's Parrot *Neopsephotus bourkii*

1905 239-242*; 1933 113-117*; 1933 210-213; 1940 294-295; 1950 76-78. Bred 1931 149-150,340. Breeding 1906 276-277; 1956 15-16. Hatched 1904 256. Mutations 1960 111. Naming 1956 86. Nest sharing 1952 113; 1963 257. Polygamy 1949 190. Status in Dutch aviculture 1960 111. Unusual nest site 1964 150.

Blue-winged Parrot *Neophema chrysostoma*

1932 21-22*; 1938 28-29; 1940 295; 1950 78-80; 1970 47-51. Breeding 1907 357-358; 1926 47-51; 1960 156-158,158-159. Note 1925 142. Prof. Hodge's breeding results 1972 180; 1974 232-233; 1980 55 (Twelfth generation). Status in Dutch aviculture 1960 111.

Elegant Parrot *Neophema elegans*

1931 162-166; 1940 295; 1950 80-83; 1952 155-157*. Bred 1896 98; 1930 31; 1931 149. Breeding 1952 81; 1953 213-215. Lutino 1972 107. Status in Dutch aviculture 1960 110-111.

Rock Parrot *Neophema petrophila*

Bred 1947 161. Breeding 1963 70. Reared to just feathering 1964 226. Wild 1905 212; 1940 296; 1942 38; 1950 83-84; 1952 157-158*.

Orange-bellied Parrot *Neophema chrysogaster*

1938 213-219 (Hatched); 1940 296-297; 1942 37-38; 1950 84-87; 1998 49-52; 2000 45; 2011 44. Bred 1972 214-215. Conservation measures 2006 (4)jbc. Letter 2007 181. Naming 1955 162. Note 1980 N/L; 1988 202-204. Risk of extinction 2010 140-141. Saving 1999 134-136. Status and Breeding Records 1980 118-119. Zinc toxicity as cause of death and infertility 2001 93.

Turquoise Parrot *Neophema pulchella*

1928 203-205*; 1931 293-294*; 1940 297; 1942 174-175; 1950 87-89. A tame 1930 188-190. Bred 1896 98; 1930 31; 1931 149,340. Breeding 1929 213-222; 1951 225-228b/w. History and status in Australia 1985 71-72. Normals bred 2012 187. Note 1927 87. Risk in removal of nestbox 1953 42. Status in Dutch aviculture 1960 111. Variations 1960 82.

Scarlet-chested Parrot *Neophema splendida*

1932 73-74*,135-136; 1933 119-121; 1940 297-298; 1942 34-36; 1950 89-92; 1975 204-210. Blue mutation 1965 162; 1975 61-63*. Breeding 1933 8-12; 1934 108-109,289-292; 1952 59-60. Fiftieth Anniversary in captivity 1982 159-162. History and status in Australia 1985 73-75. Imported 1932 36. Status in Dutch aviculture 1960 111. Use of nesting material 1952 234.

Swift Parrot *Lathamus discolor*

1939 310; 1950 122-123. Action for conservation of 2011 166-168*. At London Zoo 1921 182. Bred 1931 286; 1936 262. Breeding Records 1933 52. Colony breeding 1937 263-265. Imported 1906 343-344. Keeping 1928 160-163.

Budgerigar *Melopsittacus undulatus*

A viviparous Budgerigar? 1974 202. Abnormally-coloured 1928 183-186. Albino 1933 339. At liberty 1926 11-14; 1951 47-50,112; 1952 97,167-169; 1953 14-16,117-120; 1955 233-234; 1961 149-159b/w. Blue Budgerigars: 1918 262; A prolific 1924 306; At London Zoo 1911 129, 1913 89; Bred 1912 26, 1920 129; Early suggestions about 1900 88; Japanese boom 1929 285; Prices down 1929 266; Prices up 1926 22; 1927 86. Breeding in Toulouse 1925 233-241*. Colour varieties 1927 205-207*. Crested Budgerigars 1944 73; 1948 176. Egg-eating 1968 109. General management 1928 145-148*. Greywing 1929 332-333. Human side (Behaviour) 1951 129-132. In captivity 1939 143-147*. Inheritance of colour 1929 67-72,98-99,127-129. Longevity Records 1965 96. Lutino 1933 399. Mendelian inheritance in 1928 110. Nest sharing by two hens 1953 79. Notes on breeding 1902 26; 1919 242. On colour breeding 1927 23,52,116,251,281,327 (Letters). Origin of colour varieties 1930 56,85,109,135,166 (Letters). Original colour 1929 304-306,329. Size and colour of captive bred 1906 213. Talking 1936 14b/w; 1945 15-16. Unusual nest site construction 1981 155-160. White, bred 1920 197; 1921 61; 1927 201. Yellow 1905 35-38.

Eastern Ground Parrot *Pezoporus wallicus*

1941 172-174; 1948 41-45b/w; 1950 125-126b/w. Booklet 1985 176. Bred (?) 1953 176. Note 1954 93. Sighting 1972 69; 1981 57.

Night Parrot *Pezoporus occidentalis*

1950 126; 1981 57.

Blue-rumped Parrot *Psittinus cyanurus*

At London Zoo 1937 98. Breeding 1996 143-148b/w. Breeding programme 2007 141. Imported 1912 138b/w; 1927 18; 1928 175*; 1936 286-287.

Red-cheeked Parrot *Geoffroyus geoffroyi*

1905 319; 1931 181*; 1949 47-48. Imported 1927 307; 1930 129.

Prioniturus

Bred 1993 160.

Blue-crowned Racquet-tail *Prioniturus discurus*

1903 409; 1904 202. Hand-rearing 1994 40-47*. Rearing young 2005 92.

Golden-mantled Racquet-tail *Prioniturus platurus*

At London Zoo 1902 230; 1937 98. Fledged 1950 212. Hatched 1937 345. Kept 1908 188-189; 1910 180-181. Notes 1902 262-264,277; 1903 345-347*; 1931 61-62*; 1932 255; 1936 259-260.

Tanygnathus

Breeding 1989 111b/w. Three species bred 1993 160.

Great-billed Parrot *Tanygnathus megalorynchos*

1904 369-370; 1927 11-12; 1989 112-113. At Paignton Zoo 1931 202.

Blue-naped Parrot *Tanygnathus lucionensis*

1927 308-309; 1984 99-103; 1989 113-115*. Bred 2001 142. Breeding 1936 172. Sighting details 1997 114 (Talautese Blue-naped Parrot *T. l. talautesis*).

Everett's Blue-backed Parrot *Tanygnathus sumatranus everetti*

At London Zoo 1904 203; 1950 186. Imported 1904 69. Note 1968 218.

Blue-backed Parrot *Tanygnathus sumatranus sumatranus*

Bred 1989 116; 2001 142.

Black-lored Parrot *Tanygnathus gramineus*

Sighted 1996 143.

Eclectus Parrot *Eclectus roratus*

1927 10-11. Abnormal coloured 1954 150. At Taronga Zoo 1944 123. Bred 1972 107; 1976 16-18, 122-123; 1980 229-231. Bred in Assam 1938 268. Breeding 1913 49-50. Breeding in Ambon 1938 268. Breeding notes 1956 116-117. Breeding Record (?) 1930 82. Breeding results 1938 303. Breeding the Ceram 1969 2-3. Notes with account of hybrid 1944 35. Sexual ratio in young 1979 106. Some breeders of 1969 145-146. Twin embryos 1979 106.

Vosmaeri Eclectus Parrot *Eclectus roratus vosmaeri*

Bred 1978 90-91. Hand-rearing 1989 74-81b/w.

Cornelia's Eclectus Parrot *Eclectus roratus cornelia*

Bred 2001 142.

Riedel's Eclectus Parrot *Eclectus roratus riedeli*

Bred 2001 142.

Red-sided Eclectus Parrot *Eclectus roratus polychloros*

1949 46-47. Bred 1965 157. Breeding 1938 223-237; 1953 66-67; 1955 127-128. Observations on 1939 288-289 (Bred).

Alisterus

1927 48; 1961 84.

Amboina King Parrot *Alisterus amboinensis amboinensis*

1973 102. Breeding 1976 182-185. Second generation 1981 182.

HYBRIDS: Salawati Island King Parrot *Alisterus amboinensis dorsalis* x Amboina King Parrot "died when ready to leave nest" 1933 380.

Sula Island King Parrot *Alisterus amboinensis sulaensis*

Longevity 1935 228; 1955 108.

HYBRIDS: 1927 259; 1932 26.

Green-winged King Parrot *Alisterus chloropterus*

1956 163-165*; 1989 24-25. Bred 1956 160, 161. Breeding 1945 130.

Moszkowski's King Parrot *Alisterus chloropterus moszkowskii*

1992 1-8b/w. Bred 1998 94.

Australian King Parrot *Alisterus scapularis*

1927 47-48; 1949 54-56. At liberty 1922 68-70. Bred 1897 98. Breeding 1906 27-30; 1921 163-166; 1939 56-57; 1969 115-116. Breeding in immature plumage 1946 166. Experiences with 1913 292-300. Flight of 1924 85. Hand-rearing 1935 258-260. Mimicry 1927 115. Sexing young 1932 295. Status in Dutch aviculture 1960 108.

Aprosmictus

1906 155; 1961 83.

HYBRIDS: Crimson-winged Parrot x Timor Crimson-winged Parrot 1946 16.

Timor Crimson-winged Parrot *Aprosmictus jonquillaceus*

Notes 1950 100; 1966 26.

Crimson-winged Parrot *Aprosmictus erythropterus*

1927 48; 1949 56-58. A sick 1901 125. An intelligent 1927 344, 345. Bred 1932 29; 1934 258; 1939 186. Breeding 1957 63-64. Breeding Records 1897 98. Hatched 1905 318. Nesting of 1899 193 (Hatched); 1902 34 (Bred). Plumage of young 1969 116.

Polytelis

1927 43. Breeding Records and hybrids 1938 337.

HYBRIDS: Superb Parrot x Princess Parrot 1924 235*. Superb Parrot x Regent Parrot 1949 33.

Superb Parrot *Polytelis swainsonii*

1895 101-102; 1919 69-73; 1927 43-45; 1928 206-208*; 1949 48-50. Breeding 1900 217-220; 1957 98-100; 1958 130-131. Intelligence 1925 290-291. Long flight of 1928 78-79. Status in Dutch aviculture 1960 107-108. Treatment 1897 209-210. Young reared by fosters 1940 300.

Regent Parrot *Polytelis anthopeplus*

1912 265-266*; 1925 142-143; 1927 45-46; 1928 208-209*; 1949 50-52; 1950 196-198. At liberty 1927 316-317. Bred 1931 236. Breeding 1904 66-68. Breeding Records 1933 46; 1949 147. Flight of 1922 25-26. Hand-rearing 1927 235-238b/w; 1928 164. Sexing juveniles 1959 26.

Princess Parrot *Polytelis alexandrae*

1899 168-169*; 1905 248-249; 1907 46b/w; 1927 46-47; 1928 207-208; 1935 119-120*; 1937 310-311; 1949 52-54. At liberty 1951 229-230. Blue mutation 1951 107; 1962 113; 1971 78. Bred 1921 159; 1940 96-97. Breeding 1912 243-246 (Reprinted 1948 110-111), 288; 1932 9; 1940 55-56. Description of nestling 1911 342-343. Double-brooded 1960 107. Hatched 1911 341-342; 1912 37. Historical notes 1948 112-113. History and establishment in captivity 1943 18-21. Importation 1910 336-337. Longevity, sixteen years 1930 167-168. Naming 1921 158-159; 1954 75,97. Nine hundred and two bred in 35 years 1969 276. Note 1929 122-123. Pair and their progeny 1947 58-59b/w. Sexing juveniles 1960 107. Status in Dutch aviculture 1960 107. Strange behaviour 1932 281-284; 1933 227. Triple-brooded 1957 141.

Psittacula

1927 13. Bill colour in young Derbyan Parakeet, Malabar Parakeet and Plum-headed Parakeet 1936 259. Breeding Records 1938 304. Trio of lutinos (Ring-necked Parakeet, Alexandrine Parakeet and Plum-headed Parakeet) 1917 43.

HYBRIDS: Alexandrine Parakeet x Derbyan Parakeet 1931 191. Derbyan Parakeet x Lutino Ring-necked Parakeet 1947 57. Indian Ring-necked Parakeet x Moustached Parakeet 1964 150. Slaty-headed Parakeet x Plum-headed Parakeet 1934 260.

Alexandrine Parakeet *Psittacula eupatria*

Blue 1926 289-290*; 1939 397. Bred 1931 198. Breeding 1906 336 (Andaman Island Alexandrine Parakeet *P. e. magnirostris*). Breeding wild in UK 2000 186. Correspondence on breeding 1936 159-163. Feral population 1998 116; 2000 38. Ideal parrot 1898 152,182,198. Incubation period 1929 151. Longevity, "Bred almost without a break for eighteen years" 1953 219. Lutino mated to normal 1931 99. Regularity in moulting 1919 229. Successful breeding of blue 1934 238-239.

African Ring-necked Parakeet *Psittacula krameri krameri*

1941 66-67. Bred 1933 46; 1961 72. Breeding 1960 172-173b/w. HYBRIDS: African Ring-necked Parakeet x Indian Ring-necked Parakeet 1961 35.

Indian Ring-necked Parakeet *Psittacula krameri manillensis*

1939 129-131; 1970 92-94 (Correction 212); 1972 120-137b/w; 1976 73-83. Albino: 1973 154-156; Bred 1964 56-57. At 12,000 feet 1981 54. At liberty 1904 107. Blue: 1955 266, 1957 58-59b/w; Breeding 1951 143-144, 1955 290-293. Bred 1931 198. Bred at liberty 1932 48. Breeding 1902 46-47; 1932 263-264; 1953 159-160. Colour-dyed birds 1997 47. Cyanistic 1954 46-48. Death of a famous 1929 58-59b/w. Expansion of UK feral population 2005 140. Further notes 1989 36-37. In China 1951 74. Introduced 1987 235-236. Lutino: 1959 78, 1964 33; Breeding 1932 235; 1934 329; Establishing in captivity 1939 401. Notes on feral population 1983 84-93. Pied 1957 58-59. Poem 1928 47. Some wild observations 1994 101-105. Spreading along the Rhine 2008 140. UK feral population 1998 185; 2001 92. Winter food for feral population 1989 210-211.

Echo Parakeet *Psittacula eques*

1983 54. Avicultural support for 2006 102-110*b/w. Breeding in wild 1989 44.
Research 1984 177. Success story 1996 141. Summary of 1998 16-17. To UK 2000
140.

Slaty-headed Parakeet *Psittacula himalayana*

Maroon wing patches on female 1959 143; 1960 85,85-86. Note 1968 46.

Intermediate Parakeet *Psittacula intermedia* (not recognised by I.O.C.)

1975 238-239.

Plum-headed Parakeet *Psittacula cyanocephala*

An appeal 1949 144. Bred 1966 119. Breeding 1945 14-15. Food used in rearing 1956
197. Lutino 1937 337; 1953 18; 1959 41. Notes 1898 119; 1903 187; 1956 161.

Blossom-headed Parakeet *Psittacula roseata*

Bred 1896 61. Breeding 1960 27.

Blue-winged Parakeet *Psittacula columboides*

Bred 1931 236; 1964 150. Breeding 1927 301-305; 1936 136-138. Nesting 1916 267-
270 (Hatched).

Layard's Parakeet *Psittacula calthrapae*

1927 177*; 1953 20-21. Bred 1940 97; 1959 41. Breeding 1935 275-277; 1956 209-
210. Breeding Records 1955 264. Hatched 1955 46-47. Nesting (Eggs) 1931 283-286.
*2007 126.

Derbyan Parakeet *Psittacula derbiana*

1899 144-145; 1925 33-36; 1926 145-146*,285-286; 1927 248-249,346-347; 1930 142-
144. Bred 1931 23. Breeding 1933 236; 1940 82; 1956 53-55. Breeding Records 1933
46. Colour change in beaks of young 1954 98. Imported 1929 153. In extreme climatic
conditions 1983 160-163. Nesting of 1931 282 (Eggs).

Moustached Parakeet *Psittacula alexandri*

1954 39. Breeding 1953 151-155b/w. Susceptibility to pneumonia 1954 75.

Tytler's Long-tailed Parakeet *Psittacula longicauda tytleri*

At London Zoo 1904 12.

Long-tailed Parakeet *Psittacula longicauda longicauda*

1970 167. Bred 2002 92. Notes 1970 179-185b/w.

LOVEBIRDS

1927 18; 1927 133b/w,147,185,221,232,339; 1928 13. Breeding 1907 209; 1932 260
(Western Canada); 1957 50 (California). Breeding Records 1938 305. Brief note on
feeding habits 2003 41. Feeding of 1908 84,136,160; 1912 313. Lovebirds in East
Africa 1975 55,115,235; 1977 238. Miscellany 1928 188. Nestbox for 1927 175b/w.
Nesting habits 1926 193; 1947 22. Nesting material 1928 24. Nesting of 1927 201;
1947 171 (Wild). Studies in *Agapornis* 1958 91b/w. Tame lovebirds 1936 117b/w.
Various mutations 1945 143. "Wasting" 1907 252.
HYBRIDS: 1928 189; 1933 43. Fischer's Lovebird x Black-cheeked Lovebird 1943
140. Masked Lovebird x Peach-faced Lovebird 1942 158.

Madagascar Lovebird *Agapornis canus*

1927 135-136 (Early Breeding Records); 1941 105. Breeding 1901 41; 1944 23-24;
1980 74-80. Moulded to bronzy colour 1909 175.
HYBRIDS: With Budgerigar 1928 189.

Red-faced Lovebird *Agapornis pullarius*

1927 185-187; 1928 174*; 1941 105-106; 1947 195-196. Bred 1966 140. Breeding
1947 114; 1957 1-7*; 1959 117-123b/w; 1964 39-46b/w; 1967 121. Breeding attempts
1904 350-353; 1938 58-59; 1939 128-129. Hatched under budgerigars 1950 183 (Died
229). Laid 1997 187. Nesting habits 1932 83; 1937 148-149,330-331; 1947 26-28. Note
1957 110.

Abyssinian Lovebird *Agapornis taranta*

1910 23-24*; 1927 147-150; 1928 175*; 1941 109; 1955 172-174; 1976 28-32. Bred 1926 71-72, 218-219. Breeding 1926 146-148; 1928 295-299; 1956 34. Breeding Records 1933 47. Nesting habits 1947 28. Six young in nest 1968 218. Tapeworm in 1967 201-202.

Black-collared Lovebird *Agapornis swindernianus swindernianus*

1928 13-14; 1941 108. Searching for in Uganda 2009 143-148*.

Zenker's Black-collared Lovebird *Agapornis swindernianus zenkeri*

1928 14-15; 1941 108-109; 1962 41 (Wild).

Peach-faced Lovebird *Agapornis roseicollis*

1927 221-223; 1928 176-177; 1941 107-108. Abnormal specimen 1921 107. Breeding 1927 276-278. Breeding Records 1933 47. Nesting (Captive and wild) 1896 128-134. Nesting habits 1947 25-26. Pet 1923 157-159.

Fischer's Lovebird *Agapornis fischeri*

1927 339-340; 1941 106; 1967 168-169. A conversational lovebird 1954 25. Bred 1932 19. Breeding 1928 55-58. Breeding Records 1933 49. Imported 1925 155; 1927 257. Misbehaviour of 1929 194-195. Wild 1980 116. Wild population recovering 1994 225. *1926 169.

Masked Lovebird *Agapornis personatus*

1927 240-241; 1941 109-110. As foster-parents 1931 151. At liberty 1929 301-302. Bred 1932 17,38. Breeding 1927 250,348; 1928 18,78. Breeding Records 1933 49. Escape recaptured 1927 280-281. Hand-rearing 1928 143-144. Note 1925 155. Notes on mutations 1961 58-60. *1926 169. Blue mutation: 1928 25-26*; 1929 23,81; 1930 79-81. Bred 1931 235. Breeding 1953 41. Note 1956 161-162.

Nyasa Lovebird *Agapornis lilianae*

1926 53-54; 1927 339; 1941 106-107. Breeding 1926 169-171*. Breeding Records 1933 48. Lutino: Bred 1955 263; Breeding 1956 192-193. Notes 1926 140-141,283-284. Population study 2011 141-142. *1926 169.

Black-cheeked Lovebird *Agapornis nigrigenis*

1908 206-210,317*; 1909 148-156,247; 1927 232-235; 1928 173-174*; 1941 108. Arrival of 1909 140; 1926 188,283. Bred 1932 18. Breeding 1908 318-329; 1909 31-36,53; 1910 103. Breeding Records 1933 48. Reproducing annually 2011 74. Sexing 1909 149; 1910 165; 1911 51-52; 1914 162-164.

Coracopsis

Incubation and nestling periods 1992 17.

Greater Vasa Parrot *Coracopsis vasa*

Breeding and behaviour 1990 116-122b/w; 1992 20. Breeding note 1995 173. Longevity, fifty-two years 1941 103.

Lesser Vasa Parrot *Coracopsis nigra*

1941 103-104; 1992 18-20. Breeding 1985 189-190b/w. Hand-rearing 1989 167-175b/w. In Australia 1954 92.

Seychelles Black Parrot *Coracopsis barklyi*

1941 104; 1972 102-103. Conservation fund 1999 43.

Grey Parrot *Psittacus erithacus*

1920 99-100; 1941 59-62; 1945 4-5 (Fertile egg); 1947 39-40*. A young 1923 248-249. "Almost Human" 1947 68-69. An egg-bound 1920 103-104. Assessing status 2007 144. Bred 1949 78; 1955 41; 1959 78; 1972 68; 1980 228-229. Breeding 1909 129-130; 1917 55-56 (Early account); 1945 145-150b/w; 1949 140-141; 1951 98-103 (For thirty years); 1953 114,150; 1958 57-64b/w. Breeding Records 1946 203. Brood of four reared 1959 40. Challenges and opportunities for sustainable wildlife management in Cameroon. The story of Peggy 2010 2-17*. Concern over 2010 (4)ibc.

Conservation aspects in Kakamega Forest, Kenya 2010 88-95. Disappearing from Kenya 1996 139. Extraordinary breeding account 1960 122-123. First importation 1947 112. Five years with 1968 13-15. Ground-breaking research into feather damage 2013 136-139. Hatched 1937 348. Imports drop 1999 95. In aviculture 2002 8-16. Longevity 1931 257-258; 2012 144. Mimicry 1902 145; 1930 137. Mutations 1910 106; 1921 61; 1922 37-38; 1966 65. Notes on 1976 19-20. Operation on 1897 16-17. Pursuit of the cock African Grey 1933 159-162. Response to newly-hatched chicks 1990 160-161. Round Table newsletter 1998 142. Sexing 1902 78-79. "Sukie" 1964 155-157b/w. Tail feathers of 1922 86-87. Trade in 2010 47-48. Unusual nest site 2011 47.

Timneh Parrot *Psittacus timneh*

1941 63-64. Bred 1974 233. Hatched 1974 60. Imports drop 1999 95.
HYBRIDS: Timneh Parrot x Grey Parrot 1957 199.

Poicephalus

Feeding and breeding in captivity and wild 1985 162b/w. Notes on behaviour 1972 88b/w. Three species in captivity and the wild 1987 162b/w.

Brown-necked Parrot *Poicephalus fuscicollis*

Nine reared 2002 92.

Cape Parrot *Poicephalus robustus*

1910 107-112b/w; 1917 24-28; 1926 171-174; 1978 93-94 (Laid); 1986 56-57. Bred 1965 32; 1991 12-13. Breeding 1980 205-209b/w (Brown-necked Parrot *P. fuscicollis suahelicus*); 1982 1-11b/w. Colouration 1986 175-176. Conservation 2010 96. Grievous loss 1999 95. Latest count 2005 92. My...(Astley); 1915 110-111. Notes 1941 65; 1974 123. Observations on 1969 84-86 (Bred). PBFD threat 2010 48. Sexing 1931 202. Wild census 2001 185.

Fantee Red-headed Parrot *Poicephalus gulielmi fantiensis*

1941 66.

Jardine's Parrot *Poicephalus gulielmi gulielmi*

1903 39-41; 1941 66. Bred 1988 175. Breeding 1978 199-200b/w.

Meyer's Parrot *Poicephalus meyeri*

1931 141-143 (Wild); 1972 85-87b/w. Bred 1975 114; 1981 169-174b/w. Breeding 1967 195-196b/w; 1968 34-35,96-97b/w,227; 1972 192-193; 1982 130-134. Breeding for possible release 1993 117. Notes 1913 304; 1941 64. Second generation bred 1960 121. Study 2008 94-95.

Rüppell's Parrot *Poicephalus rueppellii*

1941 65; 1977 160-162.

Brown-headed Parrot *Poicephalus cryptoxanthus*

1927 213-214 (Wild); 1948 67; 1955 1-2*. Bred 1957 18. Notes on 1984 215-218b/w.

Niam-niam Parrot *Poicephalus crassus*

Introduction 1990 60.

Red-bellied Parrot *Poicephalus rufiventris*

1931 153*; 1941 64. Breeding 1993 61-65b/w. Release 1994 115.

Senegal Parrot *Poicephalus senegalus*

1920 149-150; 1943 148-150. Bred 1895 100. Breeding 1957 62-63b/w,151-153b/w. Cage breeding 1972 44-45. Longevity 1951 192; 1965 160. Longevity, laying at forty years old 1970 78. Recommended as pet 1897 13,36. Visually sexing 2001 97-98.

Yellow-fronted Parrot *Poicephalus flavifrons*

1941 65.

MACAWS

1898 22,63; 1926 156. At Tierpark Berlin 1986 191. Breeding Records 1938 30. Dwarf macaws 1959 123. Longevity 1949 112. Macaws at Rode 1980 249.

Macaws bred in captivity 1938 88,121,167. Releasing 2012 108-113*. Smaller macaws 1927 187. Specialist macaw facility 1993 112. The "Red and Blue" Macaws 1949 66. HYBRIDS: Various hybrids 1950 94. Blue-and-gold Macaw x Green-winged Macaw 1932 227; 1938 30. Blue-winged Macaw x Yellow-collared Macaw 1978 235. Green-winged Macaw x Blue-and-gold Macaw 1947 66; 1948 175. Hyacinth Macaw x Blue-and-gold Macaw 1966 32. Hyacinth Macaw x Green-winged Macaw 1975 37. Scarlet Macaw x Blue-and-gold Macaw 1932 220b/w (B/w plates of hybrid 1932 282; 1936 83; 1945 28; 1964 226). Scarlet Macaw x Green-winged Macaw 1972 18.

Hyacinth Macaw *Anodorhynchus hyacinthinus*

Bred 1998 186; 2002 92. Breeding 1984 11-16b/w. Breeding note 1984 17b/w. Corrective surgery on chick 1997 187. Dead in shell 1981 184. Hatched 1970 135. Laid 1960 221. Longevity, sixty years 2001 138. Nesting and hand-rearing 1975 90-93b/w. Now 145 days old 1971 225. Plight of 1989 44. Tool-using 1994 68-73b/w.

Lear's Macaw *Anodorhynchus leari*

1907 111-113*; 1981 15-16. Bred 2006 141; 2010 141. Breeding 1985 30-31. Discovery of its home 1980 261-263. Illegal importation into UK 2000 136. Increased population 2002 86. Keeping and breeding 2007 57-72*. Licuri Palm Scheme 1994 54. News on captive management 2007 40-43. Reared by foster parents 2007 185. Second population discovered 1996 91. Three reared in nest 2012 187. Wild and captive 2014 16*.

Glaucous Macaw *Anodorhynchus glaucus*

1981 15-16. Longevity, more than forty-five years old 1938 282. Some at Antwerp Zoo 1955 118. Tame 1925 205.

Spix's Macaw *Cyanopsitta spixii*

1898 23; 1969 139-140; 1976 149-150; 1981 16; 2002 44-45. Allowed to choose partner 2006 91. Artificial insemination 2012 (1)ibc; 2013 24. Breeding project 1996 111-112b/w. Conservation 1992 37. Conservation update 2002 90. Death at London Zoo 2008 44. Four repatriated 2013 88-89*. Further acquired 2004 91. Hatched 1992 88. Laid 1924 167. Last chance to declare 1996 81. Reared under fosters 2004 92. Release 1995 44. Repatriated 2003 46. Six bred 2010 141. Twelve bred 2006 94. Two wild young taken 1987 173. World population 2006 44.

Blue-and-gold Macaw *Ara ararauna*

As liberty birds 1972 25-26. Breeding 1932 221-222; 1939 411-412; 1959 84b/w; 1960 56-58; 1965 84-87b/w; 1976 67-68b/w. Breeding Records 1932 226-227; 1933 43. Free-flying 1965 155. Longevity, one-hundred-and-three years 2002 94. Mutations 1965 148-149. Partially hand-reared 1956 117-118. Return to Thailand 2004 (1)ibc.

Blue-throated Macaw *Ara glaucogularis*

Bred 2002 92. Census 1996 113. EEP 1996 79-81. Exciting discovery 2007 186. Recovery Plan 2003 Number 4(ibc). Studbook 1996 184. Wild observations 1994 173.

Great Green Macaw *Ara ambiguus*

Active nest in same tree as Scarlet Macaw 2012 91-92. Aged bird breeding 2004 186. Survey 1996 116.

Scarlet Macaw *Ara macao*

1949 66-69. Active nest in same tree as Great Green Macaw 2012 91-92. Breeding 1935 87; 1936 338. Breeding Records 1933 44. Longevity, seventy-five years old 1955 41. Nesting 1934 103-105. Record number hatched 2011 138. Twenty-eight bred 1949 31.

Green-winged Macaw *Ara chloropterus*

1949 69. Bred 1962 45. Breeding 1963 34-35. Number bred to date 1974 34; 1980 N/L.

Red-fronted Macaw *Ara rubrogenys*

1974 92-93,131. At Berlin Zoo 1975 170. Bred 1991 148b/w. Five chicks in a brood 1995 34.

Chestnut-fronted Macaw *Ara severus*

Breeding 1957 126-127; 1962 35-36.

Red-bellied Macaw *Orthopsittaca manilatus*

Breeding 1987 194-197b/w.

Blue-headed Macaw *Primolius couloni*

Bred 1997 44; 2002 92; 2004 45. Two pairs at Loro Parque 1996 95.

Blue-winged Macaw *Primolius maracana*

1898 65-67. Bred 1931 236. For release 1997 34-35b/w.

Yellow-collared Macaw *Primolius auricollis*

At London Zoo 1920 145; 1937 97. Hatched 1964 33.

Hahn's Macaw *Diopsittaca nobilis nobilis*

Bred 1962 313; 1968 29,227.

Noble Macaw *Diopsittaca nobilis cumanensis*

10-16b/w (Bred). Breeding 1950 240-244; 1951 38. Second and third generation bred 1956 194.

Thick-billed Parrot *Rhynchopsitta pachyrhyncha*

1927 89-90*,141; 1963 249; 1971 107; 1992 84. Bred 1965 198; 1967 63; 1979 31; 1995 34; 2002 93. Breeding 1974 56. Cold hardiness 1971 106-107,181. Hatched 1970 251. Longevity, thirty years 1996 45. Possible method of sexing 1973 93-95b/w. Reintroduction 1987 174. Release 1993 103.

Maroon-fronted Parrot *Rhynchopsitta terrisi*

1992 37.

Yellow-eared Parrot *Ognorhynchus icterotis*

1977 21-24b/w. New population discovered 2009 204.

CONURES

1926 178. Notes 1914 153; 1968 47. Summary of Breeding Records 1938 302.

HYBRIDS: Hispaniolan Conure x Nanday Conure 1984 173. Jandaya Conure x Nanday Conure 1954 245; 1968 217.

Golden Conure *Guaruba guarouba*

"Almost to maturity" 1944 16. At Paris Zoo 1897 115. Bred 1957 74; 1995 206-207; 1998 186. Breeding 1939 388-389b/w; 1957 200-202. Breeding Records 1971 227; 1972 68. Hand-rearing diet 1975 168. Imported 1926 158. Laid 1932 253. Naming 1966 90. Notes 1926 334-335; 1928 255-256*; 1929 229-232. Reared to a month 1934 255. Second generation 1981 182; 1990 82-88. Six parent-reared 2002 92.

Dusky-headed Conure *Aratinga weddellii*

1923 177-178.

Sun Conure *Aratinga solstitialis*

1930 48-49; 1931 28. Bred 1909 192-193; 1972 215; 1974 34. Breeding 1976 20-21b/w. Note 1972 33. Forty-four bred 2002 92.

Nanday Conure *Aratinga nenday*

Bred 1917 29; 1934 317. Breeding 1901 45-46. Breeding Record 1901 216. Killing their young 1901 215.

Jandaya Conure *Aratinga jandaya*

At liberty 1963 180-182. Bred 1929 8; 1970 165. Breeding 1955 26-27. Breeding Records 1933 44.

Golden-capped Conure *Aratinga auricapillus*

Lutino 1974 37.

Aztec Conure *Eupsittula nana astec*

Bred 1904 51-52.

Olive-throated Conure *Eupsittula nana nana*

1936 99.

Petz's Conure *Eupsittula canicularis*

Bred 1901 215. Breeding Records 1933 44. Left- and right-footedness 1964 76-77.

Peach-fronted Conure *Eupsittula aurea*

Bred 1957 36; 1964 149. Breeding 1926 327-328; 1978 189-190. Imported 1926 158. Nestlings killed 1901 215.

Brown-throated Conure *Eupsittula pertinax*

1907 126; 1931 143-144. Breeding 1908 302-303.

Guiana Brown-throated Conure *Eupsittula pertinax chrysophrys*

1954 74,101-102*. Breeding 1955 222-223.

Caatinga Conure *Eupsittula cactorum*

Breeding 1915 41-43.

Sharp-tailed Conure *Thectocercus acuticaudatus acuticaudatus*

Bred 1972 68; 1976 218. Lutino 1975 37.

Blue-crowned Conure *Thectocercus acuticaudatus haemorrhous*

Nesting wild in Kent 2002 62.

Red-throated Conure *Psittacara rubritorquis*

1992 48-50.

Red-masked Conure *Psittacara erythrogenys*

Bred 1970 134. Breeding 1925 318-320. Memory of an old friend 1942 172-179. Note 1970 207.

White-eyed Conure *Psittacara leucophthalmus*

Bred 1937 309. Breeding 1976 62-63.

Cuban Conure *Psittacara euops*

1920 122-124. Notes on the *euops* group 1914 153. On several unsuccessful nesting attempts 1929 32-37.

Hispaniolan Conure *Psittacara chloropterus*

Breeding 1988 162-166; 1991 74-76b/w.

Golden-plumed Parakeet *Leptosittaca branickii*

Helping 2013 163164*. Three in a nest 2008 43-44.

Carolina Parakeet *Conuropsis carolinensis*

America's lost parrot 1965 186-187. Breeding Records 1938 302; 1966 20-22. In Florida 1916 124. Laid 1904 168. Life in the Zoos 1977 42-49. Note 1972 73. USA breeding reports 1999 145.

Patagonian Conure *Cyanoliseus patagonus*

1919 234; 1920 18,74; 1921 11-13. Decline 1985 64. Mutation 1995 172. Lesser Patagonian Conure *C. p. patagonus*: Breeding 1972 41-44b/w. Colony breeding 1994 127-130b/w. Escapees in South Africa 2000 94. Greater Patagonian Conure *C. p. byroni*: Breeding 1964 109-110. Bred 1957 35. Notes 1965 57-58; 1975 38-39. *Cyanoliseus whiteyi* (?) 1926 261*.

Pyrrhura

HYBRIDS: Breeding of hybrids 1972 198b/w.

Ochre-marked Conure *Pyrrhura cruentata*

2008 168-170. Bred 1998 42-43.

Red-bellied Conure *Pyrrhura frontalis frontalis*

1954 187-188*. Bred 1954 76; 1957 141. Breeding 1925 131-132; 1954 40.

Azara's Conure *Pyrrhura frontalis chiripepe*

Breeding 1923 203-205; 1974 67.

Crimson-bellied Conure *Pyrrhura perlata*

1928 125*. 1967 4-7b/w. 1966 64; Bred 1968 28. Breeding note 1995 172. Imported 1927 272. (Includes previous *P. rhodogaster* references.)

- Green-cheeked Conure** *Pyrrhura molinae*
Breeding 1979 157-159. Keeping and breeding 1984 91-93.
- Painted Conure** *Pyrrhura picta*
First record from Hispaniola 2007 (2)ibc.
- Bonaparte's Conure** *Pyrrhura lucianii*
Bred 1961 36,169. Hatched 1926 323.
- White-eared Conure** *Pyrrhura leucotis*
Bred 1955 329; 1956 232; 1969 75. Breeding 1907 59-60; 1991 113-117b/w. Breeding Records 1933 44. Laid 1904 175-176.
- Grey-breasted Conure** *Pyrrhura griseipectus*
At Chester Zoo 2006 45.
- Venezuelan Conure** *Pyrrhura emma*
Imported 1929 323. "Nine young in one nest" 1969 133.
- Fiery-shouldered Conure** *Pyrrhura egregia*
Bred 1991 42. Breeding 1994 144-147b/w.
- Maroon-tailed Conure** *Pyrrhura melanura*
Breeding 1970 141-142; 1971 108. Identifying races 1969 128,279,299.
- El Oro Conure** *Pyrrhura orcesi*
Discovered 1988 232; 1989 211-212.
- Black-capped Conure** *Pyrrhura rupicola*
Bred 1984 243.
- Rose-crowned Conure** *Pyrrhura rhodoccephala*
Bred 1998 139.
- Sulphur-winged Conure** *Pyrrhura hoffmanni*
Bred 1998 42.
- Chilean Conure** *Enicognathus ferrugineus minor*
Imported 1928 197.
- Austral Conure** *Enicognathus ferrugineus ferrugineus*
Breeding 1980 258-260*.
- Slender-billed Conure** *Enicognathus leptorhynchus*
Bred 1979 41. Breeding 1914 24-29; 1980 218-219. Breeding note 1995 172.
Observations on 1974 140-142.
- Quaker Parakeet** *Myiopsitta monachus*
At liberty 1901 86-87; 1903 181-183; 1968 209-210. Bred 1963 212. Breeding 1968 210-211. Breeding results 1970 35. Cannibalism 1953 39. Feeding a young cuckoo 1896 143. Nesting 1915 198-199 (Bred). Note 1898 37. Story of 1932 275-280. Strange friendship 1922 105. Wild in America 1974 75. Wild in Spain 2001 138.
- Grey-hooded Parakeet** *Psilopsiagon aymara*
1967 179-182*. A new challenge 1967 182-183b/w. Bred 1962 213; 1963 251-252; 1964 74-75; 1965 53; 2002 93. Hatched 1963 131. "Three young in nest" 1963 256.
- Mountain Parakeet** *Psilopsiagon aurifrons*
1958 88. Breeding 1981 95-97. Keeping and breeding 2013 62-64*.
- Bolborhynchus*
1981 92.
- Barred Parakeet** *Bolborhynchus lineola*
1978 128-136 (Bred),200-201. Bred 1938 303; 1953 218; 1954 146; 1961 169; 1969 134. Breeding 1954 1-3*. Cinnamon 1958 88.
- Andean Parakeet** *Bolborhynchus orbygnesius*
Bred 1978 117.

PARROTTLETS

New species? 2010 128-132*.

HYBRIDS: Breeding hybrids 1953 222. Green-rumped Parrotlet x Mexican Parrotlet 1953 167-168. Pacific Parrotlet x Blue-winged Parrotlet 1968 103; 1969 14-15. Spectacled Parrotlet x Green-rumped Parrotlet 1933 112.

Mexican Parrotlet *Forpus cyanopygius*

Breeding 1927 338-339; 1965 113-114. Field observations 1965 101-103b/w. *1927 174.

Green-rumped Parrotlet *Forpus passerinus*

Breeding 1926 244-246; 1934 110-111,116; 1951 53-56; 1953 94-95 (Bred). Breeding Records 1933 46. Fledged 1955 42. Second generation 1956 231.

Turquoise-rumped Parrotlet *Forpus xanthopterygius spengeli*

Bred 1958 184.

Blue-winged Parrotlet *Forpus xanthopterygius xanthopterygius*

Bred 1896 144; 1968 103. Breeding 1903 34,338; 1905 34-35; 1981 65-69b/w. Breeding at liberty 1921 178-182. Observation on 1975 238.

Spectacled Parrotlet *Forpus conspicillatus*

Bred 1967 63. "Now have fourteen youngsters" 1968 71.

Pacific Parrotlet *Forpus coelestis*

Bred 1958 148; 1968 103. Notes on behaviour and breeding 1964 23-25. Prolific breeders 1958 89.

Yellow-faced Parrotlet *Forpus xanthops*

Bred 1981 182. Imported 1980 157. Notes 1982 156-158.

Brotogeris

1898 17; 1939 402b/w. Breeding two species at Loro Parque 1987 198. Feral in Florida 2005 3-5.

Plain Parakeet *Brotogeris tirica*

Blue, location of coloured plate cited 1940 32. Bred 1938 303. Breeding Records 1939 402-403.

White-winged Parakeet *Brotogeris versicolurus*

Notes 1898 18; 1900 186.

Canary-winged Parakeet *Brotogeris chiriri*

Bred 1968 70. Breeding 1954 227-231; 1956 194. (See White-winged Parakeet).

Grey-cheeked Parakeet *Brotogeris pyrrhoptera*

Breeding 1987 199-201; 1989 210. Breeding Records 1939 404. Note 1898 18. Nesting 1926 71 (Bred).

Orange-chinned Parakeet *Brotogeris jugularis jugularis*

A wonderful 1940 81-82. Blue 1939 403. Breeding Records 1939 403-404. Note 1898 18.

Cobalt-winged Parakeet *Brotogeris cyanoptera*

Breeding 1986 124-125; 1987 198-199; 1988 195-198b/w.

Golden-winged Parakeet *Brotogeris chrysoptera*

1956 43-45*. Bred 2002 186.

Tuipara Parakeet *Brotogeris chrysoptera tuipara*

Tame 1906 23-24.

Tui Parakeet *Brotogeris sanctithomae*

Note 1898 18. White 1939 403.

Tepui Parrotlet *Nannopsittaca panychlora*

1981 140-142.

Brown-backed Parrotlet *Touit melanonotus*

1981 13.

Spot-winged Parrotlet *Touit stictopterus*

1983 51.

CAIQUES

1955 155*. Breeding Records 1965 33. Hardiness 1961 44,144.

HYBRIDS: Black-headed Caique x White-bellied Caique 1936 294; 1958 89.

Black-headed Caique *Pionites melanocephalus melanocephalus*

1955 155-158*; 1971 202-218b/w (Bred); 1977 215-216 (Hatched). Bred 1965 33;

1967 19; 1977 231; 1974 136 (Pallid Caique *P. m. pallidus*). Field notes 1983 43-46.

Note 1955 266.

Yellow-thighed Caique *Pionites leucogaster xanthomerius*

1955 162-163. Longevity, at least forty-five years in captivity 1944 45.

White-bellied Caique *Pionites leucogaster leucogaster*

1955 158-162. Bred 1955 165; 1967 19. Breeding attempt 1976 86-90b/w. Hardiness

1961 144.

Rose-faced Parrot *Pyrilia pulchra*

1983 51.

Orange-cheeked Parrot *Pyrilia barrabandi*

1981 12-13; 1982 61; 1983 237.

Vulturine Parrot *Pyrilia vulturina*

1981 16.

Pileated Parrot *Pionopsitta pileata*

1905 351-352; 1910 180; 1970 96-97; 1975 147-150 (Bred); 1976 123-124. Breeding

1977 119-123b/w; 1981 11-12b/w.

Rusty-faced Parrot *Hapalopsittaca amazonina*

Record breeding in wild 2014 13-14*. Survey 1996 115.

Fuertes Parrot *Hapalopsittaca fuertesi*

Rediscovered 2002 139.

Yellow-faced Parrot *Alipiopsitta xanthops*

1935 216-218; 1981 14.

Short-tailed Parrot *Graydidascalus brachyurus*

1910 178; 1926 15; 1978 204-205. Bred 2002 93. Hatched 2014 16*.

Pionus

Breeding of four species 1978 61b/w*. Inverted resting 1986 81. Notes on *Pionus* 1978

196b/w. Research 2001 49.

Blue-headed Parrot *Pionus menstruus*

Bred 1959 79; 1978 62b/w. Fertile eggs 1972 217. Hatched 1958 73. Lutino 1964 179.

Paired with hen *flavirostris* (?) - have a chick 1931 225. Reared 1959 27. Tame 1925

132-134; 1977 215.

Coral-billed Parrot *Pionus sordidus corallinus*

1915 379. Bred 1978 62-63b/w; 2002 93.

Scaly-headed Parrot *Pionus maximiliani*

1895 128; 1977 214-215.

Siy Parrot *Pionus maximiliani siy*

Breeding 1983 27-29. Sexing 1983 245.

Plum-crowned Parrot *Pionus tumultuosus*

Bred 1978 63-64*. First steps towards breeding 1998 102-105.

White-capped Parrot *Pionus seniloides*

1970 153-154b/w.

White-crowned Parrot *Pionus senilis*

1933 109; 1934 115. Bred 1938 303. Breeding 1983 74-76. Hand-rearing 1935 11-16.

Hatched 1933 387. Reared to a month 1934 255.

Bronze-winged Parrot *Pionus chalcopertus*

1945 63-64. Bred to second generation 1978 62. Breeding 1976 185-190b/w.

Hatched 1976 19; 1978 91. Laid 1970 133. Note 1980 226-227.

Dusky Parrot *Pionus fuscus*

At Paignton Zoo 1931 202; 1977 24-27b/w.

AMAZON PARROTS

1899 44; 1926 203* (Reprinted 1948 138). A rare amazon 1919 133. Breeding notes from my collection of amazons (Spilsbury) 1981 145. Breeding Records 1924 273.

Captive breeding *Amazona leucocephala* (All races) 1977 126. De-licing (Method not recommended) 1902 236. Diet 1942 59. Husbandry 1980 232. Notes on 1926 275.

Notes on rare amazons 1930 2. Observations 1975 238. Our collection of amazons

(Stoodley) 1980 246. Rare and vanishing amazons 1969 274; 1970 169. Sympatric

species (Wrongly titled "Sexing Parrots") 1972 75.

HYBRIDS: Black-billed Amazon x Red-spectacled Amazon 1973 142 (Fertile eggs

only). Blue-fronted Amazon x Red-lored Parrot 1953 176; 1954 181. Festive Amazon x

Yellow-billed Amazon 1959 40b/w. Panama Amazon x Double Yellow-headed

Amazon *Amazona oratrix oratrix* 1937 135. Red-crowned Amazon x White-fronted

Amazon 1934 317.

Cayman Brac Amazon *Amazona leucocephala hesternia*

1976 202-209.

Bahamas Amazon *Amazona leucocephala bahamensis*

1904 239-241*; 1979 18-23. Nesting 1910 80-81 (Hatched).

Cuban Amazon *Amazona leucocephala leucocephala*

1942 156-158; 1953 21; 1954 167-168b/w. Bred 1960 251. Breeding 1957 17-19b/w.

Second generation 1960 71.

Isle of Pines Amazon *Amazona leucocephala leucocephala*

1979 85-88 (Bred).

Cayman Amazon *Amazona leucocephala caymanensis*

At London Zoo 1904 276,281. Notes 1930 6-7; 1978 91-92 (Laid); 1980 227.

Yellow-billed Amazon *Amazona collaria*

A rare Amazon 1955 154. Breeding 1983 21-26b/w. Notes 1930 8.

Hispaniolan Amazon *Amazona ventralis*

Breeding 1971 185-187b/w.

White-fronted Amazon *Amazona albifrons*

Breeding 1982 71-74b/w. Laid 1974 136. Sexing 1971 152; 1974 136.

Black-billed Amazon *Amazona agilis*

Breeding 1980 209-211. Notes 1930 8-9. "The All-green Parrot" 1903 185.

Puerto Rican Amazon *Amazona vittata*

1974 76-77; 1985 110-116b/w. Census 1967 174.

Red-spectacled Amazon *Amazona pretrei*

1991 185-189b/w. Breeding 1997 101-106b/w*.

Red-crowned Amazon *Amazona viridigenalis*

At Whipsnade Zoo 1948 175. Bred 1981 149. Breeding 1984 195-198. "With yellow shoulders" 1945 55.

- Lilac-crowned Amazon** *Amazona finschi*
Breeding 1952 23-24b/w; 1978 187-189. Wild nesting behaviour 2000 46.
- Red-lored Amazon** *Amazona autumnalis autumnalis*
At London Zoo 1900 231. Breeding 1957 183-188b/w. Diademed Amazon and Salvin's Amazon (Separating) 1934 305b/w. Notes 1930 10-12.
- Salvin's Amazon** *Amazona autumnalis salvini*
Bred 1981 148-149.
- Lilacine Amazon** *Amazona autumnalis lilacina*
1916 91; 1920 30-31b/w; 1994 140*. Lutinistic 1934 95. Status 1987 223-225.
- Diademed Amazon** *Amazona diadema*
1981 12-13.
- Red-browed Amazon** *Amazona rhodocorytha*
1982 12-14; 1999 86-89. Breeding 1996 49-55b/w. EEP 1996 106-108. First breeding for centre 2009 202.
- Red-tailed Amazon** *Amazona brasiliensis*
1960 1-2*; 1981 6-8,14-17. Bred 1998 4. Breeding 1995 49-51*. Death of an old friend 1968 112. Poaching threat 1994 227. Protection 1996 114.
- Bodin's Amazon** *Amazona festiva bodini*
1919 181-182. Notes 1930 9-10.
- Festive Amazon** *Amazona festiva festiva*
In wild and captivity 2003 28-37*.
- Yellow-shouldered Amazon** *Amazona barbadensis*
1950 188; 1978 92-93b/w (Laid); 1980 227. Breeding 1983 9-21b/w; 2010 35-37.
- Blue-fronted Amazon** *Amazona aestiva*
1899 185-188. An amusing amazon 1921 56-57. At liberty 1984 118-119. Bred 1943 28; 1950 182; 1958 35. Breeding 1939 393-396b/w; 1942 149-150b/w. Differences in character 1921 71-75. Hatched 1973 346. Longevity 1951 36,73,152. Lutino 1925 264-265; 1932 249. Notes 1924 329; 1950 19. Polly - My amazon 1935 277-280. Richard, a young amazon 1942 20-21. Second generation bred 1952 104. Sexing 1949 113; 2009 159.
- Yellow-headed Amazon** *Amazona oratrix*
Bred 1960 251; 1975 58; 1978 117. Breeding 19800 24-235. Laid 1980 228. Sexing 1971 152.
HYBRIDS: *A. o. oratrix* x Panama Amazon *A. ochrocephala panamensis* 1976 108.
- Yellow-naped Amazon** *Amazona auropalliata*
1994 169. Blue 1941 221. Bred 1979 41.
- Yellow-crowned Amazon** *Amazona ochrocephala*
1899 161-162. Breeding 1967 199-200; 1968 103; 1980 211-217b/w. Sexing and talking powers 1898 184. Wild in Los Angeles 1971 177.
- Marajó Amazon** *Amazona ochrocephala xantholaema*
New to aviculture 1985 182.
- Orange-winged Amazon** *Amazona amazonica*
1899 183. Bred 1979 41.
- Kawall's Amazon** *Amazona kawalli*
A new species 1990 190-191.
- Mealy Amazon** *Amazona farinosa*
1990 126-129b/w.
- Blue-crowned Amazon** *Amazona farinosa guatemalae*
Rare Amazon 1919 133 (Probably this).
- Vinaceous-breasted Amazon** *Amazona vinacea*
1923 119-121; 1930 11; 1981 13-14. Breeding 1997 85-88b/w.

St. Lucia Amazon *Amazona versicolor*

1902 275-277*; 1926 229*; 1959 85; 1976 101-105; 1980 248-249. Jacquot Express 1992 34-36. Notes on 1930 5-6. Rejuvenation of Jaco 1920 173-176. Status 1982 126. *2001 70.

Red-necked Amazon *Amazona arausiaca*

1901 109-111*; 1930 36-44; 1931 55; 1991 99. Studies 1996 114b/w.

St. Vincent Amazon *Amazona guildingii*

1904 121-124*; 1926 229*; 1959 85; 1971 148; 1976 103-104; 1985 174. At London Zoo 1937 98. Bred 1973 64; 1991 154. Breeding 2006 24-33*. Chick hatched 2008 117. Hand-rearing 2003 62-68*. Help for 2003 44-45. Laid again but did not incubate 1940 10. Longevity, twenty-four years old 1930 311. Major threat to 2004 45-46. New pairs formed 2002 186. Notes 1900 147-149; 1930 2-4. Numbers reared at Jersey Zoo 1991 99. Status and prospects 1977 34-42b/w.

Imperial Amazon *Amazona imperialis*

1902 151-152*; 1926 229*. In search of 1929 240-246, 267-275b/w. My quest 1924 57-59, 77-81. Notes 1931 56; 1959 84-85. Studies 1996 114b/w.

Red-fan Parrot *Derophtus accipitrinus*

1898 174; 1902 186-190; 1942 177; 1968 39-40*; 1976 142-149 (Hand-reared). At liberty 1930 128-129. Bred 1969 275. Breeding 1966 71-72; 1972 201; 1991 27-29b/w. Hand-rearing 1968 40-42. In a mixed aviary 1928 201-202. Note 1971 177. Sexing 1972 216. Visually sexing 2011 51.

Blue-bellied Parrot *Triclaria malachitacea*

1910 180; 1925 236; 1938 207; 1969 18-20 (Hatched); 1976 18 (Hatched); 1981 8-11b/w, 12-17 (Bred). Biology and husbandry 1999 26-39b/w. Breeding 2000 170-172*. Hand-rearing 1988 139-142b/w. Its natural history and aviculture 1997 149-158b/w. Request for information 1996 144. Seven bred 2002 93.

FIG PARROTS

Four species bred 1993 160. Keeping and breeding three species 1998 55*. Workshop 1998 186.

Orange-breasted Fig Parrot *Cyclopsitta gulielmitertii*

Breeding 1994 136-138. Breeding at Weltvogelpark, Walsrode 2012 163-167*.

Double-eyed Fig Parrot *Cyclopsitta diophthalma diophthalma*

1908 335; 1950 139; 1952 106; 1967 139-151b/w; 2001 92. Bred 1954 77; 2002 91. Breeding at Weltvogelpark, Walsrode 2012 163-167*.

Marshall's Fig Parrot *Cyclopsitta diophthalma marshalli*

1950 226. *1967 139.

Red-browed Fig Parrot *Cyclopsitta diophthalma macleayana*

1950 225-226. Breeding 1978 237. Hatched 1975 114.

Coxen's Fig Parrot *Cyclopsitta diophthalma coxeni*

1950 225. Recovery programme 1994 108.

Desmarest's Fig Parrot *Psittaculirostris desmarestii*

1938 149-150* (Western Desmarest's Fig Parrot *P. d. occidentalis*); 1939 123-124; 1983 52; 1988 179. Breeding 1988 83-89.

Edwards's Fig Parrot *Psittaculirostris edwardsii*

1955 118. Bred 2013 162. Mimicing otters 2012 44. *1998 59.

Salvadori's Fig Parrot *Psittaculirostris salvadorii*

1977 162-166. Laid 1980 226. *1998 59.

Guaibero *Bolbopsittacus lunulatus*

First captive breeding 1995 123-127.

NEW ZEALAND WRENS *Acanthisittidae*

Rifleman *Acanthisitta chloris*

1933 356-357.

New Zealand Rockwren *Xenicus gilviventris*

1935 42-43.

BROADBILLS *Eurylaimidae*

1925 168. Recent imports 1990 194.

Green Broadbill *Calyptomena viridis*

1929 231-232*; 1930 49; 1931 113,276-277. Bred 1994 52,184. Breeding 1996 1-5b/w; 1997 15-19. Imported 1929 10,326. Longevity, nine years 1968 223. Observations on behaviour 1970 16-17b/w. Use of nesting log by female 2008 172-179*.

Hose's Broadbill *Calyptomena hosii*

Imported 1929 326; 1931 277.

Black-and-red Broadbill *Cymbirhynchus macrorhynchos*

1931 276.

Long-tailed Broadbill *Psarisomus dalhousiae*

Bred 1994 184; 2002 91. Eighteen hand-reared 2003 86.

PITTAS *Pittidae*

1925 161*. Breeding Records 1980 N/L. Breedings 1997 120. Notes on rare pittas 1931 210; 1932 55. Pittas in captivity 1902 8. Recent imports 1990 194. Search for all species 2011 143. Summary of species in European collections 2002 75*.

Blue-rumped Pitta *Hydrornis soror*

1931 217-219.

Giant Pitta *Hydrornis caeruleus*

Breeding 1979 109-111b/w (Hand-reared).

Blue-headed Pitta *Hydrornis baudii*

1932 57-58.

Bar-bellied Pitta *Hydrornis elliotii*

1929 131-132*. Bred 1939 350. Note 1931 221.

Javan Banded Pitta *Hydrornis guajanus*

1931 221-222; 1932 55. Breeding 2002 113-122*. Plumage variation 1974 41*.

Malayan Banded Pitta *Hydrornis irena*

Breeding 1974 42-44b/w.

Bornean Banded Pitta *Hydrornis schwaneri*

Bred 2001 142.

Gurney's Pitta *Hydrornis gurneyi*

Back from the brink 2004 144. Help for 2007 140. In captivity 1992 142-143. New population found 2003 93. Population 1991 41; 1993 160; 2000 136. Saving 2005 188. Sightings 1987 175. Site protection 1996 43.

Red-bellied Pitta *Erythropitta erythrogaster*

1933 62* (*E. e. macklotii*).

Garnet Pitta *Erythropitta granatina*

1932 55-57.

Hooded Pitta *Pitta sordida*

1931 215-217, 220-221; 1959 33-34*; (Reprinted 1997 124-125). Breeding 1934 222-226; (Reprinted 1997 120-123). Breeding and hand-rearing 1989 119-128. Courtship behaviour 1933 63-64. Laid 1963 206. Parent-rearing in mixed exhibit at London Zoo 2009 27-36*. Sexing 1933 180. Twenty-six bred 2002 43. *1994 90.

Ivory-breasted Pitta *Pitta maxima*

Note 1931 211; 1933 6-7*.

African Pitta *Pitta angolensis*

1925 312; 1931 215.

Indian Pitta *Pitta brachyura*

1902 8-9, 179-185b/w, 257-262; 1958 107-109*. Breeding 1962 33-35b/w; 1960 227.

Note 1931 212. Sexing 1903 29.

Blue-winged Pitta *Pitta moluccensis*

1939 170. Bred 1973 229; 1993 159.

Elegant Pitta *Pitta elegans*

Breeding 2000 165-169*.

Noisy Pitta *Pitta versicolor*

Bred 1980 N/L; 1991 191.

OVENBIRDS AND WOODCREEPERS *Furnariidae*

OVENBIRDS

1925 167.

Rufous Hornero *Furnarius rufus*

1911 237-240b/w; 1944 49b/w. Double nest 1941 16-20b/w.

WOODCREEPERS

New species 1996 41.

ANTBIRDS *Thamnophilidae*

Black-spotted Bare-eye *Phlegopsis nigromaculata*

2000 51-52.

ANTTHRUSHES *Formicariidae*

1925 167. Notes on species kept at New York Zoo 1976 119.

Short-tailed Antthrush *Chamaeza campanisona*

Note 1966 172.

ANTPITTAS *Grallariidae*

Chestnut-crowned Antpitta *Grallaria ruficapilla*

Hatching and hand-rearing 1976 119-122b/w.

Cundinimarca Antpitta *Grallaria kaestneri*

Discovered 1993 215.

Pale-billed Antpitta *Grallaria carrikeri*

Discovered 1984 122.

Brown-banded Antpitta *Grallaria milleri*

1995 88.

Ochre-fronted Antpitta *Grallaricula ochraceifrons*

Discovered 1984 122.

TYRANT FLYCATCHERS *Tyrannidae*

1925 165. Of Canada 1939 52. Recent imports 1990 194

Restinga Tyrannulet *Phylloscartes kronei*

Discovered 1993 215.

Bahia Tyrannulet *Phylloscartes beckeri*

Discovered 1996 43.

Kaempfer's Tody-Tyrant *Hemitriccus kaempferi*

Rediscovered 1993 51.

Vermilion Flycatcher *Pyrocephalus rubinus*

1952 83-86, 196-198. Bred 1964 180.

White Monjita *Xolmis irupero*

At London Zoo 1939 272.

Masked Water Tyrant *Fluvicola nengeta*

Breeding 1935 171-175 (Fledged only).

Great Kiskadee *Pitangus sulphuratus*

At London Zoo 1912 36. Bred 1964 221; 1972 214. Breeding 1962 64-66; 1965 145; 1966 87. Breeding Record 1962 178. Early avicultural record 1928 100. Note 1977 211. Poem 1927 144.

Lesser Kiskadee *Philohydor litor*

Keeping and breeding 2009 113-115.

Scissor-tailed Flycatcher *Tyrannus forficatus*

Wild 1939 322.

Grey Kingbird *Tyrannus dominicensis*

Wild 1930 123.

COTINGAS *Cotingidae*

1925 163*. Recent imports 1990 194.

Chestnut-bellied Cotinga *Doliornis remseni*

Discovered 1995 45. Range extension 1994 225.

Green-and-black Fruiteater *Pipreola riefferii*

Breeding 1963 141-144. Imported 1915 379.

Orange-breasted Fruiteater *Pipreola jucunda*

Breeding 1966 18-20b/w. Hatched 1965 12. Imported 1915 379.

Guianan Cock-of-the-rock *Rupicola rupicola*

1910 257-258, 319-324*; 1914 202. At London Zoo 1910 290; 1928 197; 1992 153-154. At St. Louis Zoo 1931 263-265b/w. Display 1961 102-106b/w. *1925 162.

Andean Cock-of-the-rock *Rupicola peruvianus*

1942 29-30b/w; 1948 1-2*. Artificial incubation and hand-rearing 1989 153-161b/w. Bred 2007 38-39*. Breeding 1980 1-4b/w. Four bred 2010 45. Hatched 2002 90. Hatched and longevity sixteen years 1997 66. "Hatched some years ago" 1957 49. Longevity, over twenty years old 1974 113. Reared to twenty-three days 1970 251. Seventeenth and eighteenth hatched 2009 156.

Spangled Cotinga *Cotinga cayana*

Bred 2002 91. Hand-rearing 2006 19-23*.

AMERICAN BELLBIRDS
1937 213.

Bearded Bellbird *Procnias averano*
B/w 1937 213.

Bare-throated Bellbird *Procnias nudicollis*
B/w 1937 213.

Purple-throated Cotinga *Porphyrolaema porphyrolaema*
At London Zoo 1929 265; 1930 113-114*.

Purple-throated Fruitcrow *Querula purpurata*
2003 78-79*. Bred 2007 38-39; 2012 141*.

Red-ruffed Fruitcrow *Pyroderus scutatus*
At London Zoo 1958 98.

Capuchinbird *Perissocephalus tricolor*
Artificial incubation and hand-rearing of at Dallas World Aquarium 2012 59-62*. Bred
1993 105. Breeding 1994 3-7*.

UMBRELLABIRDS
1972 79.

Bare-necked Umbrellabird *Cephalopterus glabricollis*
1936 211-212b/w; 1943 29-30b/w. Longevity, twelve years 1972 82.

Amazonian Umbrellabird *Cephalopterus ornatus*
At Washington Zoo 1952 153. Imported 1909 362-363b/w; 1950 206b/w.

Long-wattled Umbrellabird *Cephalopterus penduliger*
1995 98-102b/w. Hand-rearing 2004 108-115*b/w. Longevity, eleven years 1972 82.

MANAKINS *Pipridae*

Diet 1933 39. Feeding 1951 73. In captivity 1969 117*. Recent imports 1990 194. Two
rare 1931 237*.

Pin-tailed Manakin *Ilicura militaris*
Improved diet 1968 43.

Golden-winged Manakin *Masius chrysopterus*
1969 118-119*.

Club-winged Manakin *Machaeropterus deliciosus*
2013 38.

Blue-rumped Manakin *Lepidothrix isidorei*
1969 117.

White-bearded Manakin *Manacus manacus*
Bred 2000 140; 2002 91. Imported 1929 265; 1931 237*; 1933 39; 1973 145-146*.
Wild 1931 294-295.

Long-tailed Manakin *Chiroxiphia linearis*
Notes 1973 145-146*.

Blue-backed Manakin *Chiroxiphia pareola*
Breeding 1973 1-3*. Fledged 1973 142. Hatched 1976 220. Imported 1910 290; 1931
237*; 1933 39.

Swallow-tailed Manakin *Chiroxiphia caudata*
Improved diet 1968 43. Near miss 1981 113-114.

Golden-headed Manakin *Dixiphia erythrocephala*
1969 118*. Bred 2010 46.

Red-headed Manakin *Dixiphia rubrocapilla*
1933 39.

TITYRAS *Tityridae*

Black-tailed Tityra *Tityra cayana*
2000 50.

LYREBIRDS *Memuridae*

1925 168. Protection measures 1992 37.

Superb Lyrebird *Menura novaehollandiae*
1916 215-219; 1943 98-102. At London Zoo 1900 184; 1903 110b/w. Hatched 1967 206. Incubating 1903 190 (Wild). Longevity, eighteen-and-a-half years 1969 33. Memories 1947 83-85. Possible introduction to Tasmania 1929 83-84. See the Lyrebird and die 1947 79-83b/w. Supposed hybrid with fowl 1905 46. Tasmanian population 2003 87.

SCRUBBIRDS *Atrichornithidae*

Noisy Scrubbird *Atrichornis clamosus*
Research and management 1984 125.

BOWERBIRDS *Ptilonorhynchidae*

1901 69,123; 1923 58. Bowerbirds and particular colours 1904 235. New book 2000 138.

White-eared Catbird *Ailuroedus buccoides*
Laid 1998 132; 2000 74; 2001 72*.

Green Catbird *Ailuroedus crassirostris*
1920 203-204. Bred 1969 147. Breeding 1922 189.

Vogelkop Bowerbird *Amblyornis inornata*
1909 156; 1913 157-162b/w. At London Zoo 1937 182.

Streaked Bowerbird *Amblyornis subalaris*
1923 59. Hardiness 1909 156-157.

Golden-fronted Bowerbird *Amblyornis flavifrons*
Rediscovered 1982 173.

Golden Bowerbird *Prionodura newtoniana*
1901 70.

Flame Bowerbird *Sericulus ardens*
Artificially hatched and hand-reared 2003 142.

Regent Bowerbird *Sericulus chrysocephalus*
1901 70,138-139,160-161. Bred 1960 214; 1964 149. Breeding 1906 51-68b/w, 88-96,123-131b/w. Colour change 1928 119-120. Female assuming male plumage 1908 54-59. Further notes on breeding 1907 142-143; 1911 365-367; 1928 231-233b/w*. Other breedings 1951 94-95b/w; 1956 211-213.

Satin Bowerbird *Ptilonorhynchus violaceus*
1907 7-12,69,123-124,136-138,148; 1944 47,48,74,98; 1956 122. Bred 1991 191. Colour change 1944 150. Experiment on colour preference 1944 132-135. Juvenile

in adult plumage 1931 22. Nesting 1903 63-68 (Fledged). Nesting habits 1943 123.
Photographing 1916 96-97.

Spotted Bowerbird *Chlamydera maculata*
1901 69-70; 1992 88.

Fawn-breasted Bowerbird *Chlamydera cerviniventris*
Bred 2003 42.

AUSTRALASIAN WRENS *Maluridae*

Breeding Records 1980 182. Experiences with 1975 183*.

Campbell's Fairywren *Chenorhamphus campbelli*
1984 123.

Lovely Fairywren *Malurus amabilis*
Bred 1981 117.

Purple-backed Fairywren *Malurus lamberti assimilis*
Bred 1974 76.

Variegated Fairywren *Malurus lamberti lamberti*
"Currently being raised" 1975 186.

Red-winged Fairywren *Malurus elegans*
Bred 1965 157.

Superb Fairywren *Malurus cyaneus*
1902 246-249 (Bred); 1903 15-19*; 1906 228-235; 1918 259. Bred 1956 194; 1991
175-176. Breeding 1962 84-86. Breeding Records 1980 182. Colour change 1917 150-
151. Display 1917 206-207.

Black-backed Fairywren *Malurus splendens melanotus*
Bred 1950 263.

Splendid Fairywren *Malurus splendens splendens*
1965 157*.

Red-backed Fairywren *Malurus melanocephalus*
Bred 1974 69.

White-winged Fairywren *Malurus leucopterus*
Bred 1947 76; 1974 69; 1991 19. Home of 1919 177-181.

HONEYEATERS *Meliphagidae*

1903 347b/w; 1924 307. Breeding age 1969 115. List of imported species 1936 313. New
Zealand honeyeaters 1962 45*. Two honeyeaters 1936 262.

Scarlet Myzomela *Myzomela sanguinolenta*
1940 174-175 (Longevity, ten years old).

Eastern Spinebill *Acanthorhynchus tenuirostris*
Wild 1936 265-266.

Western Spinebill *Acanthorhynchus superciliosus*
Breeding 1986 166-171.

Tui *Prosthemadera novaeseelandiae*
1911 38; 1912 137-138; 1933 370-375; 1938 126-129; 1942 103-110b/w; 1962 45-46*.
Diet and longevity 1897 97,118,150,165,180; 1898 53. Possible cause of decline 1897
181.

New Zealand Bellbird *Anthornis melanura*
1933 376-379 (Wild); 1962 45-46.

- Crescent Honeyeater** *Phylidonyris pyrrhopterus*
Laid 1965 11.
- New Holland Honeyeater** *Phylidonyris novaehollandiae*
1936 263-265 (Wild). Bred 1947 108; 1984 176.
- Helmeted Friarbird** *Philemon buceroides*
Bred 2001 92 (*P. b. punctata*).
- Blue-faced Honeyeater** *Entomyzon cyanotis*
Breeding note 1997 61-62. Breeding programme 1993 105.
- Brown-headed Honeyeater** *Melithreptus brevirostris*
Bred 1968 103.
- White-naped Honeyeater** *Melithreptus lunatus*
1900 99-100. Bred 1947 108. Breeding 1968 172-174b/w.
- Crimson Chat** *Epthianura tricolor*
Bred 1948 97.
- Orange Chat** *Epthianura aurifrons*
Bred 1956 123.
- White-fronted Chat** *Epthianura albifrons*
Bred 1948 97.
- Macgregor's Honeyeater** *Macgregoria pulchra*
1938 65-66*.
- Spiny-cheeked Honeyeater** *Acanthagenys rufogularis*
Bred 1938 90-91. Longevity, twenty-two-and-a-half years 1957 195.
- Little Wattlebird** *Anthochaera chrysoptera*
Bred 1939 320-321; 1974 230.
- Red Wattlebird** *Anthochaera carunculata*
Bred 1971 105.
- Regent Honeyeater** *Anthochaera phrygia*
Captive bred birds released 2008 94.
- Eungella Honeyeater** *Bolemoreus hindwoodi*
Discovered 1983 237-238.
- Yellow-faced Honeyeater** *Caligavis chrysops*
Bred 1958 138,181.
- Helmeted Honeyeater** *Lichenostomus melanops cassidix*
Programme setback 1993 160. Status and captive breeding programme 1991 98.
- Purple-gaped Honeyeater** *Lichenostomus cratitius*
Bred 1961 141.
- Noisy Miner** *Manorina melanocephala*
Breeding the Garrulous Honeyeater 1925 265-267. Wild population spreading 2001 185.
- White-fronted Honeyeater** *Purnella albifrons*
Bred 1964 74.
- Grey-fronted Honeyeater** *Ptilotula plumula*
Bred 1964 74.
- White-plumed Honeyeater** *Ptilotula penicillata*
Bred 1960 81.

BRISTLEBIRDS *Dasyornithidae*

- Eastern Bristlebird** *Dasyornis brachypterus*
Bred 1956 123.

PARDALOTES *Pardalotidae*

Spotted Pardalote *Pardalotus punctatus*

1900 165-167*, 167-169, 211. Been imported 1899 179-180. B/w 1919 205.

AUSTRALASIAN WARBLERS *Acanthizidae*

Pilotbird *Pycnoptilus floccosus*

Nesting 1920 127-129b/w (Wild).

White-browed Scrubwren *Sericornis frontalis*

Bred 1976 218.

NEW ZEALAND WATTLEBIRDS *Callaeidae*

North Island Kokako *Callaeas wilsoni*

1933 409-410 (Wild); 1981 58; 1985 57-58b/w.

South Island Saddleback *Philesturnus carunculatus*

1934 142-144 (Wild); 1985 56-57b/w; 1993 163. Population increase 1994 173.

Huia *Heteralocha acutirostris*

Notes on extinction 1933 411-412. Sexing 1934 30.

STITCHBIRD *Notiomystidae*

Stitchbird *Notiomystis cincta*

1933 439-442 (Wild); 1962 45-46; 1985 56; 1993 163. An avicultural challenge 2000 22-33b/w*.

WHIPBIRDS AND QUAIL-THRUSHES *Psophodidae*

Eastern Whipbird *Psophodes olivaceus*

1909 85-88b/w. Bred 1976 218. Imported 1903 110.

Spotted Quail-thrush *Cinclosoma punctatum*

1904 149-160b/w.

HELMETSHRIKES *Prionopidae*

1925 137. Recent imports 1990 193.

White-crested Helmetshrike *Prionops plumatus*

1930 186, 194b/w.

BUSHSHRIKES *Malaconotidae*

Fiery-breasted Bushshrike *Malaconotus cruentus*

1936 1-2* (*M. c. gabonensis*).

Grey-headed Bushshrike *Malaconotus blanchoti*

1936 171-172 (= this species?).

Bokmakierie *Telophorus zeylonus*

Imported 1925 217.

Brown-crowned Tchagra *Tchagra australis*

Notes 1916 325-326 (Wild).

Black-crowned Tchagra *Tchagra senegalus*

1970 173*.

Slate-coloured Boubou *Laniarius funebris*

1985 174.

Black Boubou *Laniarius nigerrimus*

?Bulo Burti Bushshrike *Laniarius liberates* caught and photographed 1991 159-160.

Yellow-crowned Gonolek *Laniarius barbarus*

Bred 2000 140.

Crimson-breasted Shrike *Laniarius atrococcineus*

1923 247-248; 1928 53-55*. Imported 1925 217.

Brubru Shrike *Nilaus afer*

1985 174.

VANGAS *Vangidae*

Sickle-billed Vanga *Falcoelea palliata*

2001 142. Bred 2003 84.

WOODSWALLOWS, BUTCHERBIRDS AND ALLIES

Artamidae

1900 26,153,202; 1925 138. Casting pellets 1910 106. Killing mice 1908 160.

Management 1907 375. Of South Australia 1949 6.

HYBRIDS: Masked Woodswallow x White-browed Woodswallow 1964 188; 1965 116-117.

Ashy Woodswallow *Artamus fuscus*

Bred 1932 101. Casting pellets 1910 106.

White-breasted Woodswallow *Artamus leucorhynchus*

Bred 2002 91.

Masked Woodswallow *Artamus personatus*

At London Zoo 1900 184; 1964 186-188 (Bred). Bred 1948 97. Breeding 1949 8.

Hatched 1963 208.

White-browed Woodswallow *Artamus superciliosus*

1945 76. Bred 1960 229-230. Breeding 1908 299,348; 1949 7-8. Killing mice 1908 160.

Notes 1918 79-83b/w (Wild).

Black-faced Woodswallow *Artamus cinereus*

Bred 1963 131.

Dusky Woodswallow *Artamus cyanopterus*

Bred 1947 76. Breeding 1949 6-7.

Black Butcherbird *Cracticus quoyi*

Imported 1930 308.

Grey Butcherbird *Cracticus torquatus*

Bred 1963 172.

Pied Butcherbird *Cracticus nigrogularis*

1903 69-70 (= this species?). Breeding 1981 1-2b/w.

Black-backed Magpie *Gymnorhina tibicen tibicen*

Bred (?) 1938 283.

White-backed Magpie *Gymnorhina tibicen hypoleuca*
1903 70-71; 1915 218-221; 1916 104-105. Exhibited 1895 27.

IORAS *Aegithinidae*

Common Iora *Aegithina tiphia*
Bred 1932 101.

Green Iora *Aegithina viridissima*
Imported 1915 352.

CUCKOOSHRIKES *Campephagidae*

Pied Cuckooshrike *Coracina bicolor*
Wild data 1997 115.

White-shouldered Triller *Lalage sueurii*
At London Zoo 1914 322.

MINIVETS

1925 8. Of India 1949 126. Recent imports 1990 194. What do they eat? 1993 186.

Small Minivet *Pericrocotus cinnamomeus*
1949 127. Longevity, twelve years old 1972 150.

White-bellied Minivet *Pericrocotus erythropygius*
1949 127.

Short-billed Minivet *Pericrocotus brevirostris*
1909 308. At London Zoo 1913 211; 1938 205-206*; 1950 256. Exhibited 1913 93b/w.

Orange Minivet *Pericrocotus flammeus*
1949 126-127.

WHITEHEADS *Mohouidae*

Yellowhead *Mohoua ochrocephala*
1934 201 (Wild).

Whitehead *Mohoua albicilla*
1934 15-17 (Wild).

PLOUGHBILL *Eulacestomidae*

Wattled Ploughbill *Eulacestoma nigropectus*
1991 46.

WHISTLERS AND ALLIES *Pachycephalidae*

Sangihe Shrikethrush *Coracornis sanghirensis*
Sighting details 1997 113.

Australian Golden Whistler *Pachycephala pectoralis*
1904 61-63*, 229.

SHRIKES *Laniidae*

1925 124. As cage-birds 1921 167. Diets for *Lanius* spp. 1969 162. Few notes on 1940 171. Recent imports 1990 193.

Magpie Shrike *Urolestes melanoleucus*

Breeding 2000 173-177*; 2010 155-157. Imported 1921 68; 1925 217.

Red-backed Shrike *Lanius collurio*

1905 44-45. Breeding 1904 339-346; 1905 330-331; 1907 40; 1911 37; 1912 335-336. Early aviculture record 1923 99. Moults and feeding 1905 173-174. Suggestions on breeding 1922 46. Wild nesting notes 1902 206-207.

Long-tailed Shrike *Lanius schach*

1960 47-48b/w; 1970 61-65b/w. Breeding 1971 219-223b/w.

San Clemente Island Loggerhead Shrike *Lanius ludovicianus mearnsi*

Most successful release programme 2003 (1)ibc. Recovery programme 1992 184.

Great Grey Shrike *Lanius excubitor*

1945 50-51. Breeding 1946 203-204; 1971 1-9b/w. "Repeatedly reared" 1905 45.

Southern Fiscal Shrike *Lanius collaris*

Naming 1967 103.

VIREOS *Vireonidae*

1925 140. A new vireo 1993 103. Notes on some vireos of North America 1917 133.

Rufous-browed Peppershrike *Cyclarhis gujanensis*

1977 207-208.

ORIOLES AND FIGBIRDS *Oriolidae*

Breeding results 2006 95-96. Recent imports 1987 172. Species which have been kept in captivity 1940 238.

North Island Piopio *Turnagra tanagra*

1934 208-210.

Australasian Green Figbird *Sphecotheres vieilloti*

Bred 1967 130.

Eurasian Golden Oriole *Oriolus oriolus*

1945 50.

African Golden Oriole *Oriolus auratus*

At London Zoo 1925 191.

Black-naped Oriole *Oriolus chinensis*

Breeding 2005 144.

Black-headed Oriole *Oriolus larvatus*

Breeding 1965 50-51. Fledged 1965 10-11.

Black-hooded Oriole *Oriolus xanthornus*

1958 119b/w.

Black-and-crimson Oriole *Oriolus cruentus*

1938 308b/w.

Maroon Oriole *Oriolus traillii*

1911 184-185b/w.

DRONGOS *Dicruridae*

1923 83b/w. Recent imports 1987 172.

Black Drongo *Dicrurus macrocercus*

Bred 1992 184 (*D. m. thai*).

White-bellied Drongo *Dicrurus caerulescens*

1922 91. Bred 1932 102.

Greater Racket-tailed Drongo *Dicrurus paradiseus*

Management 1904 84-86.

FANTAILS *Rhipiduridae*

White-throated Fantail *Rhipidura albicollis*

Hand-reared 1932 102.

Willie Wagtail *Rhipidura leucophrys*

1900 163. Bred 1954 96.

Grey Fantail *Rhipidura fuliginosa*

1933 403-405; 1934 202.

MONARCHUS *Monarchidae*

Cerulean Paradise Flycatcher *Eutrichomyias rowleyi*

Rediscovered 1996 41. Sighting details 1997 113.

Asian Paradise Flycatcher *Terpsiphone paradisi*

1909 260-263b/w,299; 1912 302-307. Hand-reared 1932 102.

Rufous Paradise Flycatcher *Tersiphone cinnamomea*

Wild status 1997 115.

Magpie-lark *Grallina cyanoleuca*

1901 75-76,83. Breeding 1928 233-234; 1960 135-136b/w. Hatched 1931 98.

CROWS, JAYS AND MAGPIES *Corvidae*

JAYS

1917 21*. Breeding Records 1938 281. Recent imports 1987 171. Eurasian Jay x Black-headed Jay 1976 220 (Hatched).

Crested Jay *Platylophus galericulatus*

Request for information 2001 179.

Siberian Jay *Perisoreus infaustus*

1899 101-102.

Grey Jay *Perisoreus canadensis*

Whiskey Jack and another 1916 167-169.

San Blas Jay *Cyanocorax sanblasianus*

A cooperative breeder 2000 111-117*. Bred 1995 175. Hatched 1929 4-5; 1931 334.

Yucatan Jay *Cyanocorax yucatanicus*

1917 223; 1922 81. Hatched 1918 116-122.

Purplish-backed Jay *Cyanocorax beecheii*

1933 121-122 (Wild). Breeding 1926 102-103; 1980 123-127b/w. Laid 1929 255.

Black-chested Jay *Cyanocorax affinis*

At London Zoo 1912 198.

- White-tailed Jay** *Cyanocorax mystacalis*
Bred 2002 99.
- Plush-capped Jay** *Cyanocorax chrysops*
1907 33-39; 1920 206-207; 1931 106-107. Breeding 1978 125-128.
- White-naped Jay** *Cyanocorax cyanopogon*
1895 43; 1899 122-123; 1903 227-230*; 1920 208-209. Breeding 1979 37-39. Hatched 1957 213. Sexing 1946 117.
- Green Jay** *Cyanocorax yncas*
1917 21*; 1931 105-106; 1959 42-43. Breeding 1971 20-22b/w. Breeding at Barcelona Zoo 2011 39-43. Plumage fade 2011 31. Sexing 1946 117; 1979 109.
- White-throated Magpie-Jay** *Calocitta formosa*
1928 81-82*, 123; 1930 184-185, 250-251b/w, 309-310. Breeding 2009 181-184. Hatched 1963 207, 238. Juvenile plumage 1959 143-144.
- Blue Jay** *Cyanocitta cristata*
Bred 1938 281; 1951 21.
- Steller's Jay** *Cyanocitta stelleri*
1980 141-147. Breeding 1960 206-208.
- California Scrub Jay** *Aphelocoma californica*
Breeding 1966 76-77.
- Eurasian Jay** *Garrulus glandarius*
1931 138-139; 19949, 132-139 (Bred). As cage-bird 1899 52-54. Breeding Records 1949 230. Mimicry 1946 204-206.
- Black-headed Jay** *Garrulus lanceolatus*
1953 122-133b/w; 1955 209-210; 1958 41-42*. Breeding 1954 154-162b/w.
- Lidth's Jay** *Garrulus lidthi*
1912 91; 1936 225-227*. Breeding 1964 212. Longevity, twenty years 1973 54.
- Azure-winged Magpie** *Cyanopica cyanus*
1937 65-67; 1975 107-113b/w. Anthropomorphic and climate factors in its distribution 2005 6-13. Bred 1937 77; 1960 223-224. Breeding 1941 3-8; 1970 240; 1983 163-169. Hatched 1933 129. Longevity, eleven-and-three-quarters years 1960 245. Sub-specific relationship 2003 142. Used for pest control 1983 52-53.
- Sri Lanka Blue Magpie** *Urocissa ornata*
1946 141-143b/w; 1954 151-153*.
- Taiwan Blue Magpie** *Urocissa caerulea*
1935 288; 1937 61*. *2010 68.
- Red-billed Blue Magpie** *Urocissa erythroryncha*
1895 32-34; 1932 187-188; 1950 215-216b/w (Bred). Adventures of an escapee 1970 38. Bred 1928 278; 1931 331; 1960 226-227; 1972 30. Breeding 1915 367-373b/w; 1996 34-35. Early Breeding Record 1916 70. Nesting and hand-rearing 1976 2-4.
- Common Green Magpie** *Cissa chinensis*
1914 62-63; 1934 35-36b/w; 1950 216b/w. Breeding 1978 183-185. Plumage fade 2011 31.
- Indochinese Green Magpie** *Cissa hypoleuca*
At London Zoo 1928 163 (*C. h. chauleti*); 1927 313-314*, 314-316 (Laid). Breeding 2002 171-177*. Request for information 2001 179.
- Javan Green Magpie** *Cissa thalassina*
Conservation initiative 2012 43.
- Grey Treepie** *Dendrocitta formosae*
Breeding 2003 145-149*.
- White-bellied Treepie** *Dendrocitta leucogastra*
Breeding 1970 144.

Eurasian Magpie *Pica pica*

1898 151. At liberty 1952 108-111. Curious facts 1915 92-94. "Jack" 1918 63-65. Menace to aviculture 1954 186. My magpies past and present 1951 10-15. Predation by 1997 45. Relationship with Carrion Crow 2004 104-107; 2005 36-38.

Spotted Nutcracker *Nucifraga caryocatactes*

1911 36; 1914 169-170; 1944 148.

Yellow-billed Magpie *Pica nuttalli*

Breeding 1937 257-258.

Red-billed Chough *Pyrrhocorax pyrrhocorax*

1899 73-74; 1902 269-272; 1938 158-160; 1946 116; 1957 165-170; 1991 157-158. Back wild in Cornwall 2002 140. Best breeding year ever 2005 185-186*. Bred 1998 186; 2001 97. Breeding Records 1932 322; 1970 165. Breeding wild in Cornwall 2004 107. Cornish chough, past, present and future 1991 51-58b/w. Food 1923 243-244. Hand-reared 1997 187. Hatched 1954 145; 1967 131; 1992 82. In captivity 1958 39-40. Longevity, more than twenty years 1991 176. Operation Chough 1996 117-120. Plight of 1999 96. Release project on Jersey 2014 39-40. Wild 1951 73.

Alpine Chough *Pyrrhocorax graculus*

Breeding 1970 230-231. Hatched 1957 168. Laid 1933 233.

Piapiac *Ptilostomus afer*

At Paignton Zoo 1925 277.

CROWS

1912 125; 1923 73b/w. Concerning crows 1936 29. Some crows 1922 16. Species kept by Amsler 1922 81.

Western Jackdaw *Coloeus monedula*

Bred (?); 1897 141. Clever Jackdaw 1923 159-161. Curious behaviour of breeding pair 1938 165-167.

House Crow *Corvus splendens*

Breeding 2001 149-151*. Breeding wild in Holland 2000 186.

Mariana Crow *Corvus kubaryi*

Breeding biology and ecology 1987 73-82b/w.

Grey Crow *Corvus tristis*

At Paignton Zoo 1915 275.

Rook *Corvus frugilegus*

1903 35; 1927 70-74. Breeding 1973 19-23. Carrier rooks 1924 65-66. Colour variety 1917 178-179. Food 1924 147-148. Hatched 1968 149. Intelligence 1922 111; 1929 125-127. Tame 1921 6-10; 1932 85.

Tamaulipas Crow *Corvus imparatus*

Breeding 1985 191-198.

Carrion Crow *Corvus corone*

1903 35; 1911 35. Head-scratching 1977 115. Relationship with Magpie 2004 104-107; 2005 39-41.

Large-billed Crow *Corvus macrorhynchos*

1919 141-143.

Brown-necked Raven *Corvus ruficollis*

Odd hours with 1946 90-97.

Northern Raven *Corvus corax*

1905 190-195 (Wild); 1931 182-183; 1946 119-120; 1969 132. At the Tower of London 1949 39. Bred 1980 51. Breeding 1903 35; 1904 292-293,371; 1905 175; 1906 193. Breeding Records 1965 159-160; 1967 208. Mischievousness of 1971 107. Mutation 1971 226. Tame 1915 182-186. Unusual nest site 1997 47. Versus rat 1921 75-76.

White-necked Raven *Corvus albicollis*
Hand-rearing 1934 118.
Thick-billed Raven *Corvus crassirostris*
1913 36,137-139.

AUSTRALIAN MUDNESTERS *Corcoracidae*

Apostlebird *Struthidea cinerea*

At London Zoo 1900 158; 1901 75; 1942 53-57. Observations on a captive group
1977 77-85b/w. Nesting 1971 72-73b/w (Hatched). Bred 1949 32; 1956 84.

BIRDS-OF-PARADISE *Paradisaeidae*

1912 145; 1923 41. Alfred Ezra has twelve species 1927 173. At Chester Zoo 1965 156.
At London Zoo 1905 206,228; 1908 292; 1992 147,149-150. At New York Zoo 1929
147,151, 230; 1937 110. At Taronga Park 1951 33. Breeding setback 2003 88. Collection
brought by Shaw Mayer 1931 325. Collections bought by Bergman 1959 139. Early
importations 1932 293; 1945 44. Hardiness 1909 175. In captivity 1920 97; 1945 169
(Species kept to date); 1974 70 (A moral problem). Longevity, sixteen years old 1932 112.
Mice killers 1910 360. Moulting problems 1932 138,162. Nesting behaviour 1967 116.
New book on 2010 2010 139. Notes 1910 277; 1919 88.
HYBRIDS: 1990 30-31. Ribbon-tailed *Astrapia* x Brown Sickbill 1962 47.

Trumpet Manucode *Phonygammus keraudrenii*
Hatched 1916 299.

Astrapia

Nesting behaviour 1967 116.

HYBRIDS: Ribbon-tailed *Astrapia* x Princess Stephanie's *Astrapia* 1963 233.

Ribbon-tailed Astrapia *Astrapia mayeri*

Bred 1961 170. Laid 1965 119-120. Nesting 1957 198-199 (Hatched).

Princess Stephanie's Astrapia *Astrapia stephaniae*

1923 46; 1926 197-202*; 1937 105b/w. Bred 1963 233. Breeding 1969 50-51. Hatched
1962 48; 1967 172,203-204. Imported 1909 336. Laid 1911 341; 1965 117. Nest
building 1967 97-98.

Huon Astrapia *Astrapia rothschildi*

1932 254-255.

Arfak Parotia *Parotia sefilata*

Display 1958 3-8b/w.

Queen Carola's Parotia *Parotia carolae*

Additional display notes 1976 52-53. Display 1968 85-90b/w.

Lawes's Parotia *Parotia lawesii*

Observing and hand-rearing 1970 67-70b/w.

Wahnes's Parotia *Parotia wahnesi*

1931 325b/w.

King of Saxony Bird-of-paradise *Pteridophora alberti*

1937 239-240; 1950 156-157.

Superb Bird-of-paradise *Lophorina superba*

1993 161-162. Bred 1995 175; 1999 94; 2002 91. Breeding 1968 85-90b/w.

Paradise Riflebird *Ptiloris paradiseus*

1923 44; 1962 95-97b/w. Escaped 1909 82.

Magnificent Riflebird *Ptiloris magnificus*

1923 44-45. Laid 1911 242-243.

Brown Sicklebill *Epimachus meyeri*

1923 47; 1937 155*; 1942 15. Display and nest building 1972 214. Nesting 1941 203-204 (Laid).

Black-billed Sicklebill *Drepanornis albertisi*

1908 330; 1923 46.

Magnificent Bird-of-paradise *Diphyllodes magnificus*

1912 181-182*; 1923 54-55. Bred 2002 91. Breeding 1965 146-148; 1967 116. Display 1922 138-140b/w.

Wilson's Bird-of-paradise *Diphyllodes respublica*

1923 56. Observations 1974 207-212.

King Bird-of-paradise *Cicinnurus regius*

1908 116-117; 1909 21-23*; 1923 53-54; 1931 280-281. At Walsrode 2001 141. Bred 2003 43. Display 1922 138. Display and breeding 1957 115-124b/w. Imported 1907 242. Nesting habits 1930 33-35b/w (Hatched); 1932 34.

Standardwing *Semioptera wallacii*

At London Zoo 1937 50; 1927 57-65*. Imported 1926 338; 2004 185.

Twelve-wired Bird-of-paradise *Seleucidis melanoleucus*

1918 281-283; 1923 45; 2001 141. Breeding 2014 3-7*.

Paradisaea

Display behaviour 1967 117b/w.

Greater Bird-of-paradise *Paradisaea apoda*

1902 245-246; 1923 47-49. Bred 2002 90; 2003 43. Eggs of 1907 364b/w; 1919 237b/w. Importations 1899 124,139; 1926 347-348.

Keeping and breeding at Al Wabra Wildlife Preservation, Qatar and Walsrode Birdpark, Germany 2007 22-32*. No longer exists on Little Tobago 2002 36.

Notes on introduction to Little Tobago, West Indies 1911 142-147; 1914 35-41b/w; 1915 88-91; 1917 341-351; 1918 279-280; 1922 124,160; 1931 5-8b/w; 1958 150-151; 1959 86-87.

Raggiana Bird-of-paradise *Paradisaea raggiana*

1923 49. Breeding 1944 109-116; 1959 77-78 (*P. r. augustaevectoriae*). Breeding results 1980 118. Five bred (*P. r. augustaevectoriae*) 1998 93. Plumeless male breeding 1963 233.

Lesser Bird-of-paradise *Paradisaea minor*

1904 26-27b/w; 1923 49-51. Bred 1961 170b/w; 1967 116; 2005 188. Display and attempted breeding 1992 178-182. Hand-reared 1991 192. Laid 1963 207. Observations on parent-rearing 1995 194-199. Second reared 2006 144.

Goldie's Bird-of-paradise *Paradisaea decora*

At London Zoo 1937 49.

Red Bird-of-paradise *Paradisaea rubra*

1923 51. At Chester Zoo 2000 74; 2001 69*. Bred 2002 90; 2003 91. Breeding at Chester Zoo 2004 20-27*. Hand-reared 1991 192. Hatched 1962 48. Laid 1961 43-44. Nest-building 1931 245. UK captive history 2010 188.

Emperor Bird-of-paradise *Paradisaea guilielmi*

Hatched 1944 125.

Blue Bird-of-paradise *Paradisaea rudolphi*

1909 60-64; 1923 51-53. "A number hatched" 1962 47. At New York Zoo 1921 59. Bred 1961 170. Display 1921 151-152. Imported 1909 336. Observations and hand-rearing 1970 67-71b/w.

AUSTRALASIAN ROBINS *Petroicidae*

Eastern Yellow Robin *Eopsaltria australis*

1900 163,189-190. Anting in fire ashes 1965 162. Bred 1948 97; 1991 191.

Hooded Robin *Melanodryas cucullata*

Bred 1947 75; 1974 69.

Flame Robin *Petroica phoenicea*

1914 322. Breeding 1981 90-92.

Pacific Robin *Petroica multicolor*

At London Zoo 1914 322. Bred 1965 157.

Red-capped Robin *Petroica goodenovii*

Bred 1951 193.

North Island Tomtit *Petroica macrocephala toitoi*

1934 14-15; 1935 164b/w; 1961 145*.

South Island Tomtit *Petroica macrocephala macrocephala*

1934 200-201; 1961 145-146.

North Island Robin *Petroica australis longipes*

1933 442-445; 1935 89b/w.

Black Robin *Petroica traversi*

1981 58; 1982 122; 1985 177. Population increase 1992 84.

Southern Scrub Robin *Drymodes brunneopygia*

Hatched twice 1949 76.

PICATHARTES *Picathartidae*

A history in captivity 2003 125*,167b/w; 2004 9-16. At London Zoo 1992 150. Population survey 1995 86. Protecting wild habitat 2005 95b/w.

White-necked Rockfowl *Picathartes gymnocephalus*

At London Zoo 1955 37; 1957 108b/w,170. Hatched and partially hand-reared 1965 159.

Grey-necked Rockfowl *Picathartes oreas*

1949 149-154b/w*,229-230. Bred 1972 70. Longevity 2004 94; 2008 139-140.

WAXWINGS *Bombycillidae*

1925 139. Recent imports 1990 193.

Bohemian Waxwing *Bombycilla garrulus*

1903 357-366 (Hatched); 1909 115-119b/w* (Correction 176); 1931 173-174 (Reared to eleven days); 1945 51-53. Breeding 1964 191-195b/w; 1970 12-15. Hatched 1961 169. In Yorkshire 1914 177-178. Irruption into Norfolk 1916 219-221. Nesting 1904 22-25. Southern migration 1904 117-118.

Japanese Waxwing *Bombycilla japonica*

2004 76-78. Breeding 1997 93.

Cedar Waxwing *Bombycilla cedrorum*

1921 49-50b/w; 1931 108-110. Breeding 1980 67-69. Five little waxwings 1916 314-317.

SILKY-FLYCATCHERS *Ptiliagonatidae*

Grey Silky-flycatcher *Ptiliagonys cinereus*

Breeding 1954 16-18. Imported 1927 113.

Phainopepla *Phainopepla nitens*

1909 294-296.

TITS AND CHICKADEES *Paridae*

1925 118. Hybrids and Breeding Records 1938 282. Recent imports 1988 169.

Fire-capped Tit Warbler *Cephalopyrus flammiceps*

Exhibited 1914 118.

Coal Tit *Periparus ater*

Bred 1938 282.

European Crested Tit *Lophophanes cristatus*

Random notes 1913 176-177b/w.

Eurasian Blue Tit *Cyanistes caeruleus*

Bred 1941 195. Bred at controlled liberty 1968 212.

Azure Tit *Cyanistes cyanus*

Exhibited 1913 91.

Great Tit *Parus major*

Bred 1913 382. Bred at semi-liberty 1933 165. Hatched 1913 382. Indian Grey Tit 1919 147-148b/w. Murderers 1912 60. Note 1941 195-196. Ox-eye Tit 1896 106-107.

Himalayan Black-lored Tit *Macholophus xanthogenys*

At London Zoo 1911 303.

Southern Black Tit *Melaniparus niger*

Laid 1965 119.

PENDULINE TITS *Remizidae*

Eurasian Penduline Tit *Remiz pendulinus*

At London Zoo 1905 375.

BEARDED REEDLING *Panuridae*

Bearded Reedling *Panurus biarmicus*

1900 214-216*; 1905 149-150, 208-209; 1922 72; 1942 47-49; 1944 147. Bred 1940 231-232. Breeding 1915 358-364b/w; 1965 66-67; 1972 189-192. Early Breeding Record 1916 44, 72. Hatched 1905 318-319. Male killing young 1969 129. Partially reared by Canaries 1896 179.

LARKS *Alaudidae*

1912 205; 1924 175b/w. Breeding Records 1924 273; 1938 281.

Thick-billed Lark *Rhamphocoris clotbey*

1924 179-180.

Chestnut-backed Sparrow-Lark *Eremopterix leucotis*

1919 111-112b/w; 1924 183-184; 1927 243-245b/w (Breeding Records). Bred 1919 249; 1931 58. Hatched 1946 17.

Grey-backed Sparrow-Lark *Eremopterix verticalis*

1924 182-183.

Fischer's Sparrow-Lark *Eremopterix leucopareia*

1975 64-65.

Cape Clapper Lark *Mirafra apiata*

1924 180 (Been bred in Germany).

Woodlark *Lullula arborea*

1902 101; 1924 177-178; 1945 19. Breeding Records 1934 315; 1969 107. Sexing 1901 107.

Eurasian Skylark *Alauda arvensis*

1924 178-179. Bred 1938 282; 1970 129. Breeding 1978 74-77. Colony in British Columbia 1939 171.

Crested Lark *Galerida cristata*

1974 206. Bred 1975 64. Nesting 1912 273-280,344b/w (Bred).

Horned Lark *Eromophila alpestris*

1924 184-185.

Temminck's Lark *Eromophila bilopha*

1924 185-186.

Red-capped Lark *Calandrella cinerea*

1974 205-206.

Calandra Lark *Melanocorypha calandra*

1974 203.

Black Lark *Melanocorypha yeltoniensis*

1924 177. Breeding 1899 169-176.

Mongolian Lark *Melanocorypha mongolica*

1924 176-177. At Peking Zoo 1960 131. Nested 1967 172.

Lesser Short-toed Lark *Audala rufescens*

1974 205-206.

BULBULS *Pycnonotidae*

1895 114,127; 1912 234; 1925 1. Albino (= this species?) 1920 111*. Breeding the Ceylon Bulbul 1935 238. Nesting Records 1908 105. On bulbuls 1939 196. Recent imports 1990 193-194.

HYBRIDS: Orange-spotted Bulbul x Red-vented Bulbul 1940 162. Red-vented Bulbul x Red-whiskered Bulbul 1938 285. Red-whiskered Bulbul x Black-crested Yellow Bulbul 1951 234. White-cheeked Bulbul x Red-whiskered Bulbul 1938 285.

Crested Finchbill *Spizixos canifrons*

At London Zoo 1921 153. Breeding 1989 8-9.

Straw-headed Bulbul *Pycnonotus zeylanicus*

Bred 1993 101.

Black-capped Bulbul *Pycnonotus melanicterus*

1909 215-219,236-240. Breeding 1973 189-193. First importation 1909 275-276.

Red-whiskered Bulbul *Pycnonotus jocosus*

Breeding 1910 208-212; 1911 55-57; 1984 134-140. Breeding Records 1932 324. Note 1941 193. Sexing 1902 97.

Light-vented Bulbul *Pycnonotus sinensis*

1899 184-185. Breeding 1976 124-126; 1983 147-148. Further breeding notes 1978 77-78.

Himalayan Bulbul *Pycnonotus leucogenys*

Bred 1932 102.

White-eared Bulbul *Pycnonotus leucotis*

2004 17-19*. Breeding 1936 224. Early successes 2004 96.

Red-vented Bulbul *Pycnonotus cafer*

Used for fighting 1934 156. Longevity, seventeen years 1953 142. Bred 1960 232-233.

Sooty-headed Bulbul *Pycnonotus aurigaster*

Bred 1936 116; 1984 177. Breeding 2006 4-5. Longevity, eighteen years 1914 53.

White-spectacled Bulbul *Pycnonotus xanthopygos*

1913 142-144. Bred 1971 77. Fledged 1895 128.

African Red-eyed Bulbul *Pycnonotus nigricans*

Breeding 1964 214-216. Hatched 1963 208.

Common Bulbul *Pycnonotus barbatus*

Bred 1974 114. Breeding 1925 324 (Black-eyed Bulbul *P. b. layardi*).

Orange-spotted Bulbul *Pycnonotus bimaculatus*

Eight bred 1993 101.

Sombre Greenbul *Andropadus importunus*

Imported 1921 153.

Joyful Greenbul *Chlorocichla laetissima*

Breeding 1964 170-171. Laid 1965 117.

Yellow-bellied Greenbul *Chlorocichla flaviventris*

Notes on (Wild) 1934 298-300.

Mountain Bulbul *Ixos meclellandii*

Bred 1932 102; 1970 246-247.

Sunda Bulbul *Ixos virescens*

1908 159-160.

Seram Golden Bulbul *Thapsinillas affinis*

Wild status 1997 116.

Black Bulbul *Hypsipetes leucocephalus*

1902 88-90; 1903 209-211. Bred 1932 102. Breeding 1965 165-168. Imported 1915 352.

MARTINS AND SWALLOWS *Hirundinidae*

Sand Martin *Riparia riparia*

Hand-rearing 1977 185-188. In captivity 1946 135-141. Sighted in New Guinea 1980 52.

White-winged Swallow *Tachycineta albiventer*

2000 52.

Purple Martin *Progne subis*

Hand-rearing 1966 134-137.

Blue-and-white Swallow *Notiochelidon cyanoleuca*

Nesting 1986 186-189b/w.

Barn Swallow *Hirundo rustica*

Arrival of 1935 161. At London Zoo 1907 80. At the Front (War) 1917 75-81.

Breeding in captivity 1936 140-141. First flight 1911 256-257. Hand-rearing and keeping 1970 148-149. Our British swallow 1917 81-85. Protest 1899 22. Ringing recovery 1913 188. Tame swallows 1905 113-114.

Welcome Swallow *Hirundo neoxena*

Breeding 1981 3-5.

Eurasian Crag Martin *Ptyonoprogne rupestris*

Bred 1938 285.

Common House Martin *Delichon urbicum*

Bred 1938 285. Tame 1906 362-363.

Red Sea Cliff Swallow *Petrochelidon perdita*

Discovered 1985 175.

Fairy Martin *Petrochelidon ariel*

Breeding 1981 3-5.

AFRICAN WARBLERS *Macrosphenidae*

Red-faced Crombec *Sylvietta whytii*

Breeding 1985 207b/w.

CETTIA BUSH WARBLERS AND ALLIES *Cettiidae*

Cetti's Warbler *Cettia cetti*

1974 53-55.

Chestnut-headed Tesia *Cettia castaneocoronata*

Imported? 1913 220.

BUSHTITS AND LONG-TAILED TITS *Aegithalidae*

Recent imports 1988 168-169.

Long-tailed Tit *Aegithalos caudatus*

1917 175b/w, 195-198; 1921 66-68; 1973 69b/w. Breeding 1966 147-148. Hand-rearing 1915 389-392.

Black-throated Bushtit *Aegithalos concinnus*

1914 23-24*.

White-browed Tit-warbler *Leptopoecile sophiae*

1996 159-160b/w.

LEAF WARBLERS *Phylloscopidae*

WARBLERS (includes *Phylloscopidae* and *Acrocephalus*)

1924 226; 1925 57. British warblers 1911 130. Management of some European species 1969 161. Recent imports 1988 169. Smaller warblers as aviary birds 1898 3. Spot-breasted Warbler nesting 1918 256. Sundry warblers 1917 299.

Willow Warbler *Phylloscopus trochilus*

1917 67; 1925 225-226; 1975 212. Notes on breeding 1970 11-12.

Common Chiffchaff *Phylloscopus collybita*

1925 227-228. As cagebird 1903 206-209. Bred 1938 283.

Wood Warbler *Phylloscopus sibilatrix*

1925 74-77. In London 1905 381-382.

Chinese Leaf Warbler *Phylloscopus yunnanensis*

Discovered 1993 159.

Hainan Leaf Warbler *Phylloscopus hainanus*

Discovered 1993 159.

Seicercus

1999 103b/w.

Chestnut-crowned Warbler *Seicercus castaniceps*

1999 103-105b/w.

CONTENTS

From the Chairman	i
Brief Index to Families	ii-iii
Introduction	42
Explanation of Methods Used	42
Layout of Species Entries	42
Species Index	43-218

SMITHSONIAN LIBRARIES



3 9088 01820 0535